

OUTDOOR LIVING SUITE

All SUITE FEATURES

- Available in 8 foot and 12 foot widths
- Ground fault circuit interrupter outlets with 120 volt AC power & weatherproof covers
- Single point electrical connection to pre-wired junction box
- Single point gas connection
- · Heavy gauge welded body construction
- · Stainless steel front, sides, bottom, and back
- Stainless steel curb base
- · Monogrammed corner panels


Countertop Option



Weatherproof Outlet GFI



Marquise Accented™ bellybar option




ALL OPTIONS & ACCESSORIES

- Stainless steel sub-structure for stone countertop (stone countertop not included) - S, SB models
- Fully welded 1-piece stainless countertop - SD, SS models
- Beverage Dispenser Hole SD, SDB models
- Fully welded 1-piece stainless raised bar with Marquise Accented™ bellybar, stainless backsplash with electrical outlets and waterproof outlet covers (one in 8 foot and two in 12 foot suite)
 SSB, SDB models
- Outdoor Living Suite covers



8 Foot Suite

An Outdoor Living Suite consists of multiple cutouts (appliances sold separately) to accommodate a:



- 36" Hestan grill
- 36" Hestan Access Door, Drawer/Door Cabinet or Sealed Pantry
- 12" Hestan Double Side Burner
- 24" Hestan Refrigeration Product

8' Model shown with stainless top/beer dispenser hole. Assembly required.

12 Foot Suites (Footrail Standard)

An Outdoor Living Suite consists of multiple cutouts (appliances sold separately) in a 12 foot suite to accommodate a:

- 42" Hestan grill
- 42" Hestan Access Door or Drawer/Door Cabinet
- 12" Hestan Double Side Burner
- 16" Double Drawers
- 20" Trash and Recycle Center Storage Drawer
- Trash Chute with Cover
- 24" Refrigeration Product



All SUITE FEATURES

- Available in 8 foot and 12 foot widths
- Ground fault circuit interrupter outlets with 120 volt AC power & weatherproof covers
- Single point electrical connection to pre-wired junction box
- Single point gas connection
- Heavy gauge welded body construction
- · Stainless steel front, sides, bottom and back
- Stainless steel curb base
- · Monogrammed corner panels

Countertop Option



Weatherproof Outlet GFI




Marquise AccentedTM bellybar option



ALL OPTIONS & ACCESSORIES

- Stainless steel sub-structure for stone countertop (stone countertop not included) - S, SB models
- Fully welded 1-piece stainless countertop - SD, SS models
- Beverage Dispenser Hole SD, SDB models
- Fully welded 1-piece stainless raised bar with electrical outlets and waterproof outlet covers (one in 8 foot and two in 12 foot suite)

• Outdoor Living Suite covers



12 Foot Power Burner Suite

An Outdoor Living Suite consists of multiple cutouts (appliances sold separately) in a 12 foot suite to accommodate a:



Assembly required.

- 42" Hestan grill
- 42" Hestan Access Door or Drawer/Door Cabinet
- 24" Power Burner
- 30" Storage Drawer
- 24" Refrigeration Product


12 Foot Smoker Suite (Footrail Standard)

An Outdoor Living Suite consists of multiple cutouts (appliances sold separately) in a 12 foot suite to accommodate a:



- 42" Hestan grill
- 42" Hestan Access Door or Drawer/Door Cabinet
- 36" Egg Shaped Smoker/ Grill Platform
- 30" Storage Drawer
- 24" Refrigeration Product





INSTALLATION/ASSEMBLY SHOULD BE PERFORMED BY A QUALIFIED SERVICE TECHNICIAN OR PROFESSIONAL OUTDOOR EQUIPMENT INSTALLER. THE ELECTRICAL COMPONENTS SUPPLIED WITH SUITES MUST BE INSTALLED BY A LICENSED ELECTRICIAN AND CONNECTED IN ACCORDANCE WITH LOCAL CODES. GAS CONNECTIONS MUST BE MADE BY A LICENSED PLUMBER IN ACCORDANCE WITH LOCAL CODES.

Built - In Models	Description	Weight (lbs)	Note: Weights are approximate depending with or without tops or elevated bar top. The unit ships in pieces and assembly is required. Appliances not included.
GE8	8' Cooking Suite	650	
GE12	12' Cooking Suite	940	
GEP12	12' Cooking Suite with Power Burner	940	
GEK12	12' Cooking Suite with Egg Shaped Smoker/Grill	940	

S: no top SD: ss top w/ beer dispenser SS: ss top SSB: ss top w/bar SDB: ss top w/bar and beer dispenser SB: no top w/ bar







GAS REQUIREMENTS: 1/2" NPT gas connection.

Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane.

All units require a regulated gas supply. (included with appliances)


ELECTRICAL REQUIREMENTS:


120V, 60Hz, 20 amp circtuit breaker from main service panel

Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

3375 E. La Palma Ave., Anaheim, CA 92806 __

Footrail - Standard on raised bar models only





All Dimensions are in Inches