

ClickShare CX-20

Wireless conferencing and collaboration for any huddle space or small meeting room



- Full BYOD support
- Remote collaboration
- Triple agnostic: works with any device, and UC technology and any brand of AV peripheral
- Enhanced security
- Connected and cloud managed
- Delivered with 1 Conferencing Button
- Collaborate with Conferencing Button or Collaboration App

ClickShare CX-20 brings seamless wireless conferencing to meeting participants: local, guest or remote. Start a huddle meeting from your device, use your preferred conference tool. Automatically you connect wirelessly to the room cameras, microphones, soundbars for a more immersive meeting. In less than 7 seconds you conference, collaborate and click.

Bring your own meeting and decide how you want to collaborate. Use the ClickShare Wireless Conferencing Button and the ClickShare Collaboration App for pc and Mac or mobile devices for intuitive and uniform user experiences. Enjoy useful features like local view of the room display, signage and calendar integration.

A set of IT friendly features makes ClickShare Conference a perfect fit to any enterprise environment. ClickShare Conference, excelling in enhanced security, seamlessly integrates in any IT- network. With the XMS Cloud Management Platform you enjoy easy management of units, intuitive user experiences and clear analytics to drive your digital workplace.

PRODUCT SPECIFICATIONS**CLICKSHARE CX-20**

ClickShare Base Unit dimensions	
Dimensions (HxWxD)	34 mm x 135 mm x 135 mm
Power supply	Standard 110/220 V AC plug
Power consumption	Operational: 5-10W, 24W Max
Weight	900 gr
General specifications	
Operating system	Windows 8/8.1/10, macOS 10.13 and higher. Android v9 and higher (ClickShare app). iOS 12 and higher (ClickShare app)
Video outputs	4K UHD (3840*2160) @ 30Hz, HDMI 1.4b
Audio output	USB, HDMI
USB	1 X USB-A, 1 X USB-C
Clickshare Buttons	1
ClickShare App	Desktop & Mobile
Native protocols	Aiplay, Google Cast, Miracast*
Noise Level	Max. 25dBA @ 0-30°C Max. 30dBA @ 30-40°C
Authentication protocol	WPA2-PSK in stand alone mode WPA2-PSK or IEEE 802.1X using the ClickShare Button in network integration mode
Wireless transmission protocol	IEEE 802.11 a/g/n/ac and IEEE 802.15.1
Reach	Adjustable with signal strength modulation; max. 30m (100 ft) between ClickShare Button and ClickShare Base Unit Frequency band 2.4 GHz and 5 GHz (DFS)
Frequency band	2.4 GHz and 5 GHz (DFS channels supported in select number of countries)
Connections	1x Ethernet LAN 1Gbit 1x USB Type-C 2.0 (front); 1x USB Type A 2.0 (front)
Temperature range	Operating: 0°C to +40°C (+32°F to +104°F) Max: 35°C (95°F) at 3000m Storage: -20°C to +60°C (-4°F to +140°F)
Humidity	Storage: 0 to 90% relative humidity, non-condensing Operation: 0 to 85% relative humidity, non-condensing
Anti-theft system	Kensington lock
Certifications	FCC/CE
Touch screen support & Interactivity	/
Room Dock (peripheral support)	Yes
Local view & moderation	Local view of the room display only
Network connection	LAN & WiFi *
Management and reporting	Yes
Warranty	5 years coverage via SmartCare
*	* depends on configuration

Last updated: 18 Nov 2019

© 2018 Barco nv. All rights reserved. Reproduction in whole or in part without written permission is prohibited. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Due to continued innovation, information and technical specifications are subject to change without prior notice. Please check www.barco.com for the latest specifications.

logitech®

SUPER-WIDE FIELD OF VIEW FOR SMALL SPACES.



Logitech MeetUp

Logitech® MeetUp is a premier ConferenceCam designed for small conference rooms and huddle rooms. With a room capturing, super-wide 120° field of view, MeetUp makes every seat at the table clearly visible. Motorized pan/tilt widens FOV even further: up to 170°. A low-distortion Logitech-engineered lens, Ultra HD 4K optics, and three camera presets deliver remarkable video quality and further enhance face-to-face collaboration.

MeetUp's integrated audio is optimized for huddle room acoustics and delivers an exceptional sound experience. Three horizontally-aimed beamforming mics and a custom-tuned speaker help ensure your meetings sound as great as they look. Humans have evolved to associate human voices with their visible images. MeetUp's front-of-room

audio provides an intuitive and coherent listening experience.

With a compact all-in-one design that minimizes cable clutter, MeetUp is USB plug-and-play and simply works right out of the box with any video conferencing software application and cloud service—including the ones you already use.



BlueJeans

lifesize



zoom



broadsoft



Logitech MeetUp



FEATURES & BENEFITS

Super-wide 120° field of view

Widest field of view of any Logitech video conferencing solution allows everyone in the room to be seen, even those close to the camera or seated at the edges of the room.

Ultra HD 4K image sensor

Supports multiple resolutions, including 4K (Ultra HD)¹ 1080p (Full HD) and 720p (HD) to best support the quality offered by your application and monitor.

3-microphones and custom-tuned speaker

Three broadside beamforming, omni-directional microphones with noise and echo cancellation—plus a custom-tuned speaker—are specifically optimized for small conference rooms. Mics are Microsoft® Cortana® certified for precision with voice commands with any Windows® 10 system.

Razor-sharp optics

Enhance face-to-face collaboration to the next best thing to physically being there. Advanced Logitech lens technology delivers remarkable video quality with superb resolution, speed, fluidity, color balance, and detail.

5x HD zoom

Zero in on close-ups of objects and whiteboard content with outstanding detail and clarity.

Motorized pan/tilt

Expand your field of view even further—up to 170°—to pan to the white board or view other areas of interest.

3 camera presets

Select up to three preset locations for the camera view and return to any of them with the push of a button on the remote control.

Bluetooth® wireless technology

Connect to a Bluetooth device for great-sounding audio calls.

Expansion microphone-ready

Optional expansion microphone increases conversational radius in larger huddle rooms.

All-in-one design

Compact all-in-one form factor takes up less space and minimizes cable clutter.

RF remote control

Easily operate camera pan/tilt/zoom functions during meetings.

Certified for Business

Business-grade certifications² mean you can launch your next presentation or video meeting with complete confidence.

Plug-and-play USB connectivity

Easily connects to PC, Mac® and Chrome™ devices with no additional software required.

Works with most video conferencing applications

Compatible with virtually any video conferencing software app, including the ones you already use.

Multiple mounting options

Freedom to mount MeetUp wherever it works best—tabletop, wall, or monitor—for the best possible huddle room experience.

Kensington® security slot

MeetUp is provisioned with a Kensington security slot to help secure the equipment with an anti-theft lock.

CERTIFICATIONS

Certified for Skype® for Business, Cisco Jabber™ compatible³, Windows, Mac, Microsoft Cortana certified

PRODUCT SPECIFICATIONS

MeetUp

Part #: 960-001101
Price: \$899
UPC: 097855130037

MeetUp + Expansion Mic

Part#: 960-001201
Price: \$1,079
UPC: 097855133267

Optional Expansion Mic

Part#: 989-000405
Price: \$219
UPC: 097855131171

Optional TV Mount

Part#: 939-001498
Price: \$79
UPC: 097855133250

PRODUCT DIMENSIONS + WEIGHT

Camera

400 x 104 x 85 mm
15.75 x 4.1 x 3.35"
1.04 kg / 2.3 lbs

Remote

83 x 10 x 83 mm
3.25 x 0.375 x 3.25"
72 g / 2.5 oz

SYSTEM REQUIREMENTS

Windows 7, Windows 8.1, or Windows 10

Mac OS X® 10.10 or higher

Google Chromebook™ Version 29.0.1547.70,
Platform 4319.79.0 with:

2.4 GHz Intel® Core 2 Duo processor

2 GB RAM or more

USB 2.0 port (USB 3.0 required for 4K video)

COMPATIBILITY

UVC/plug-and-play compatible

INSIDE THE BOX

MeetUp camera and speakerphone unit

Remote control

5 m USB 2.0 cable

Power adapter

Wall mounting bracket and hardware

SOFTWARE DOWNLOADS

Designed to work with the built-in operating system
USB video-class driver

Optional Camera Settings App provides:

Camera image settings

Pan, tilt and zoom

To download visit: www.logitech.com/support/MeetUp

WARRANTY

2-year limited hardware

www.logitech.com/MeetUp

To order, contact your reseller or call us
at 800-308-8666

Published April 2017

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

¹ Requires a USB 3.0 cable, not included.

² Certified for Skype® for Business, Cisco Jabber™ compatible.
Enhanced integration with BlueJeans, Broadsoft,
LifeSize® Cloud, Vidyo and Zoom.

³ See www.logitech.com/ciscocompatibility for the latest version

© 2017 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered.

All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.