

ClickShare CX-30

Interact, discuss, collaborate with remote participants enjoying interactive meetings with touch back, annotation



- Full BYOD support
- Remote collaboration
- Full interactivity and moderation
- Triple agnostic: works with any device, and UC technology and any brand of AV USB-peripheral
- Enhanced security
- Connected and cloud managed
- Delivered with 2 Conferencing Buttons
- Collaborate with Conferencing Button or Collaboration App

ClickShare CX-30 brings seamless wireless conferencing to meeting participants: local, guest or remote. Start a meeting from your device, use your preferred conference tool. Automatically you connect wirelessly to the room cameras, microphones, soundbars for a more immersive meeting. In less than 7 seconds you conference, collaborate and click.

Bring your own meeting and decide how you want to collaborate. Use the ClickShare Wireless Conferencing Button and the ClickShare Collaboration App for pc and Mac or mobile devices for intuitive and uniform user experiences. Make content sharing richer with interactivity features like moderation, local view of the room display, annotation, blackboarding and touch back support.

A set of IT friendly features makes ClickShare Conference a perfect fit to any enterprise environment. ClickShare Conference, excelling in enhanced security, seamlessly integrates in any IT- network. With the XMS Cloud Management Platform you enjoy easy management of units, intuitive user experiences and clear analytics to drive your digital workplace.

PRODUCT SPECIFICATIONS**CLICKSHARE CX-30**

ClickShare Base Unit dimensions	
Dimensions (HxWxD)	34 mm x 135 mm x 135 mm
Power supply	Standard 110/220 V AC plug
Power consumption	Operational: 5-10W, 24W Max
Weight	900 gr
General specifications	
Operating system	Windows 8/8.1/10, macOS 10.13 and higher. Android v9 and higher (ClickShare App). iOS 12 and higher (ClickShare App)
Video outputs	4K UHD (3840*2160) @ 30Hz, HDMI 1.4b
Audio output	USB, HDMI
USB	1 X USB-A, 1 X USB-C
Clickshare Buttons	2
ClickShare App	Desktop & Mobile
Native protocols	Airplay, Google Cast, Miracast*
Noise Level	Max. 25dBA @ 0-30°C Max. 30dBA @ 30-40°C
Authentication protocol	WPA2-PSK in stand alone mode WPA2-PSK or IEEE 802.1X using the ClickShare Button in network integration mode
Wireless transmission protocol	IEEE 802.11 a/g/n/ac and IEEE 802.15.1
Reach	Adjustable with signal strength modulation; max. 30m (100 ft) between ClickShare Button and ClickShare Base Unit Frequency band 2.4 GHz and 5 GHz (DFS)
Frequency band	2.4 GHz and 5 GHz (DFS channels supported in select number of countries)
Connections	1x Ethernet LAN 1Gbit 1x USB Type-C 2.0 (front); 1x USB Type A 2.0 (front)
Temperature range	Operating: 0°C to +40°C (+32°F to +104°F) Max: 35°C (95°F) at 3000m Storage: -20°C to +60°C (-4°F to +140°F)
Humidity	Storage: 0 to 90% relative humidity, non-condensing Operation: 0 to 85% relative humidity, non-condensing
Anti-theft system	Kensington lock
Certifications	FCC/CE
Touch screen support & Interactivity	Yes
Room Dock (peripheral support)	Yes
Local view & moderation	Yes
Network connection	LAN & WiFi *
Management and reporting	Yes
Warranty	5 years coverage via SmartCare
*	* depends on configuration

Last updated: 18 Nov 2019

© 2018 Barco nv. All rights reserved. Reproduction in whole or in part without written permission is prohibited. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Due to continued innovation, information and technical specifications are subject to change without prior notice. Please check www.barco.com for the latest specifications.

logitech®

SMARTER MEETINGS AUTOMATICALLY.



Logitech Rally

Logitech® Rally offers an Ultra-HD imaging system, delivering brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K. The modular audio system brings crisp, clear audio and unmatched voice clarity to the table.

Rally comes standard with one speaker and one mic pod for medium and large sized meeting rooms. For larger spaces with 14 participants or more, Rally Plus offers two mic pods and two speakers for greater versatility out of the box.

Rally's modular audio components mean that speakers and mic pods can be placed wherever they are needed, achieving full audio coverage in your meeting space. Rally supports up to seven mic pods in total, helping you create the perfect audio configuration for your space.

Rally features RightSense™ proactive technologies, which make better meetings easy and automatic. RightSight™ auto-frames participants no matter their distance from the lens, RightLight™ prioritizes faces over environment to render natural-looking

skin tones, while RightSound™ enhances vocal clarity by suppressing background noise, auto-leveling voices, and focusing on active speakers. RightSense is compatible with most any video conferencing application that works with USB devices, including Google® Hangouts™ Meet, Microsoft® Skype® for Business and Teams, and Zoom.

Elegantly designed with premium finishes, thoughtful cable management, and modular audio, Rally integrates beautifully into any room design.

FEATURES & BENEFITS

VIDEO

Exceptional Video Quality

With an Ultra-HD imaging system, Rally delivers brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K.

Adaptive Pan, Tilt and Zoom

The smooth PTZ motor adjusts pan and tilt speed with the amount of zoom. The result: Faster camera movement when zoomed out for quick framing and slower camera movement when zoomed in for more control.

Sleek Industrial Design

The premium PTZ camera is elegantly finished in matte black and slate gray metal trim, complemented by sleekly designed audio components and accessories that look great in any room.

AUDIO

Advanced Modular Audio

Rally delivers sound that's natural, crisp, and highly intelligible. Exquisitely sensitive Mic Pods ensure that everyone in the meeting can be clearly heard while stand-alone speakers fill larger rooms with rich, life-like sound.

Front-of-Room Audio

Rally speakers are designed for placement at the front of the room. With mic pods on the table and speakers at the display, voices and video come from a natural direction — and never from behind you — so conversations feel more natural and lifelike.

Up to 7 Mic Pods

For large meeting rooms, add Rally Mic Pods to expand audio coverage and provide convenient access to mute controls. Each pod adds coverage for six additional participants, perfect for equipping large meeting spaces and boardrooms.

CONNECTIVITY & USAGE

Smart Cabling and Content Sharing

With a Display Hub and Table Hub to minimize cross-room cabling, Rally components and the meeting computer remain securely out of sight.

Loud and Clear

The built-in amplifiers in Rally Display Hub can power up to two Rally Speakers, providing rich sound even in larger rooms.

Optional Flexible Mic Pod Cabling

Rally Mic Pod Hub makes it easy to minimize cross-table cabling with three connectors for Rally Mic Pods or additional Mic Pod Hubs, helping participants reposition individual pods or to bring mute control within easy reach.

Optional Mounting Kit

Add the Rally Mounting Kit to streamline installation of each component with custom brackets and mounting hardware.

RIGHTSENSE TECHNOLOGIES AND DESIGN INNOVATIONS

Integrated Logitech RightSense technologies, built into Rally, automate a better user experience. RightSight perfectly auto-frames participants no matter their distance from the lens. RightLight prioritizes faces over environment to render natural-looking skin tones while RightSound enhances vocal clarity by suppressing background noise, auto-leveling voices, and focusing on active speakers to support better meetings.

RightSight

Logitech RightSight camera control technology automatically moves the lens and adjusts the zoom so no one gets left out of the picture. RightSight detects human figures, not just faces, to ensure that meeting participants remain in view and optimally framed on-screen.

RightLight


Logitech RightLight with Wide Dynamic Range (WDR) helps everyone look their best on camera, regardless of lighting conditions. RightLight reduces video noise, optimizes light balance, and fine-tunes color and saturation for natural results across all skin tones.

RightSound

Logitech RightSound is a suite of audio processing technologies and design innovations that deliver enterprise-class sound to video conferences. Optimized for the human voice, RightSound reduces unwanted vibrations and noise, and zeroes in on the active speaker to convey their every word with remarkable clarity.


ROOM SETUP DIAGRAMS

Rally




UP TO 10 SEATS

Rally Plus



UP TO 16 SEATS

Rally Plus



OPTIONAL MIC PODS
1 OPTIONAL MIC = 6 ADDITIONAL SEATS

UP TO 46 SEATS

ACCESSORIES



RALLY SPEAKER

Rally supports up to 2 Rally Speakers for larger rooms



RALLY MIC POD

Rally supports up to 7 Rally Mic Pods for expanded audio coverage in larger rooms



OPTIONAL RALLY MIC POD HUB

Connect 1 to 3 Rally Mic Pods or additional Mic Pod Hubs for flexible single-wire cabling



OPTIONAL RALLY MOUNTING KIT

Rally Mounting Kit with cable retainers and mounting brackets for Rally Camera, Rally Speakers (x2), Table Hub, and Display Hub

TECH SPECS

RALLY CAMERA

Ultra-HD imaging system supports:
4K, 1440p, 1080p, 900p, 720p, and SD at 30fps
1080p, 720p at 30 fps and 60 fps

Smooth motorized pan, tilt and zoom

Pan: $\pm 90^\circ$

Tilt: $+50^\circ / -90^\circ$

15x HD zoom

90° field of view

Adaptive pan and tilt speed up to 70°/second
(slows when zoomed in for easier control)

Automatic inversion detection to correct image orientation and camera controls when mounted upside down

Autofocus

3 camera presets

Kensington® security slot

Video mute/unmute LED indicator

Standard tripod thread

Lens parks at -90° in sleep mode for assured privacy

RALLY MIC POD

Pickup range: 15 ft / 4.5m diameter

Four microphones with eight beamforming elements

Mute button with LED status indicator

Captive cable: 9.6 ft (2.95m)

Daisy chain up to 7 Rally Mic Pods

Recommended participants:

Rally (one Mic Pod): 10

Rally Plus (two Mic Pods): 16

Additional participants per Mic Pod: 6

Recommended participants for Rally with 7 Mic Pods: 46

RALLY SPEAKER

High-performance 3" (76mm) driver

Patent pending suspension system eliminates vibration-induced camera shake and audio interference

Mini XLR cable (9.6 ft (2.95m)) connects to Rally Display Hub for both signal and power

RALLY TABLE HUB

Single cable (CAT6A) connection to Rally Display Hub (16.4 ft (5m) CAT6A Ethernet cable included, supports customer-supplied cables up to 164 ft (50 m))

Active speaker detection: analyzes audio from up to 7 Mic Pods and 56 beams every 8ms

12 Pin connector for Rally Mic Pod

HDMI Type A for wired content sharing

HDMI Type A for display

Power input

USB Type C (Ultra HD/4K capable)

USB Type A (reserved for future capability)

USB Type B (connects to meeting room computer)

RJ45 (Ethernet)

Bluetooth® wireless technology

RALLY DISPLAY HUB

HDMI Type A (x2) (connects to displays)

Power input

USB C (connects to Rally Camera)

USB Type B (connects to meeting room computer)

RJ45 (connects to Table Hub)

Mini XLR (x2) (connects to Rally Speakers)

Powers one or two Rally Speakers

REMOTE CONTROL

RF remote control (line of sight not required)

CR2032 batteries (included)

CABLES/POWER

Camera to Display Hub
6.5 ft (2m) USB 3.1 Type C to USB Type C 3.1

Conference Room Computer to Display or Table Hub
6.5 ft (2m) USB 3.1 Type A to USB Type B

Display Hub to Table Hub
16.4 ft (5m) CAT6A Ethernet cable (supports customer-supplied cables up to 164 ft (50 m))

Display Hub to Speaker (x2)
9.6 ft (2.95m) Mini XLR (supports customer-supplied extension cables up to 9.8 ft (3m))

Conference Room Computer to Displays (x2)
6.5 ft (2m) HDMI A

Mic Pod
9.6 ft (2.95m): Hardwired with 12 pin connector

Power Outlets to Power Supplies (x2)
3.2 ft (1m)

Power Supplies to Table Hub/Display Hub (x2)
4.9 ft (1.5m)

RIGHTSENSE TECHNOLOGIES

RightLight with Wide Dynamic Range (WDR)

RightSight automatic camera control¹

RightSound Mic Matrix

RightSound Anti-Vibration Speakers

COMPATIBILITY AND INTEGRATIONS

Plug-and-play USB connectivity

Certified for Skype for Business and ready for Teams

Certified for Google Hangouts Meet Hardware

Zoom Certified

Cisco Compatible

Compatible with BlueJeans, BroadSoft®, GoToMeeting®, Vidyo™, and other video conferencing, recording, and broadcasting applications that support USB cameras



PRODUCT SPECIFICATIONS

Rally

Part #: 960-001217
Price: \$1999
UPC: 097855140203

Rally Plus

Part #: 960-001225
Price: \$2499
UPC: 097855140227

Rally Speaker

Part #: 960-001230
Price: \$249
UPC: 097855142962

Rally Mic Pod

Part #: 989-000430
Price: \$349
UPC: 097855142955

Rally Mic Pod Hub

Part #: 939-001647
Price: \$249
UPC: 097855143143

Rally Mounting Kit

Part #: 939-001644
Price: \$149
UPC: 097855142979

SOFTWARE DOWNLOADS

Logitech Camera Settings software

WARRANTY

2-year limited hardware warranty

INSIDE THE BOX

Rally Camera
Speaker: 1 (Rally) or 2 (Rally Plus)
Mic Pod: 1 (Rally) or 2 (Rally Plus)
Table Hub
Display Hub
2 x Power Supplies
Remote Control
USB C to C cable
USB A to B cable
CAT6A
2 x HDMI A to A cable
Documentation

PRODUCT DIMENSIONS

Rally Camera

7.19" x 5.98" x 5.98"
182.5 mm x 152 mm x 152 mm

Rally Speaker

4.05" x 17.67" x 3.15"
103mm x 449mm x 80mm

Rally Mic Pod

0.83" x 4.01" x 4.01"
21mm x 102mm x 102mm

Rally Table Hub

1.57" x 6.93" x 5.43"
40mm x 176mm x 138mm

Rally Display Hub

1.57" x 8.11" x 7.05"
40mm x 206mm x 179mm

Rally Mic Pod Hub

0.63" x 4.01" x 4.01"
16mm x 102mm x 102mm

SYSTEM REQUIREMENTS

UVC/plug-and-play compatible
Windows® 10, 8.1, 7
macOS® 10.10 or later
Chrome OS™

*RightSight is enabled by a software download with initial support for Windows® 10. Please see www.logitech.com/rightsight for availability.

www.logitech.com/rally

To order, contact your reseller or call us
at 800-308-8666

Published October 2018

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

© 2018 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered.

All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.