# **30" Speed Combination Oven**

800 Series - Stainless Steel HBL8753UC





HBL8753UC Stainless Steel

Also available in: Black HBL8743UC Stainless Steel

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Genuine European Convection oven below.

#### Features & Benefits

2-in-1 microwave and convection oven with 9 SpeedChef<sup>®</sup> programs to simplify cooking with fast results.

Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Oven is equipped with a self-cleaning cycle that easily cleans itself via 2, 3, and 4 hour cycle options.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

Home Connect" – lower cavity (WiFi enabled)YesCooking modes – upper cavitySpeed oven; 12 Auto Programs, modes – 9 Sensor Cook Programs, 9 9 SpeedChef" Programs, H & Lo Broil, European Convection, Ne Bake, Variab E Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection, Neast, Pizza, Multi Rack Convection Broil, Convection, Convection Conversion, Temperature Probe, Fast PreheatCleaning type – lowerSelf CleanTelescopic rack1Illumination typeLED (Upper) / Halogen (Lower)Interior lights1 Upper / 2 LowerMicrowave power – upper cavity1000 WBake / broil element wattages – upper cavity600 / 1,750 WBake / broil element wattages – lower cavity2,400 / 3,800 WConvection element wattages – lower cavity9,600 WCircuit breaker (A)40 AYotts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	General Pro	General Properties			
modes - upper cavity(including Auto Defrost, Melt Butter, Soften Lee Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedCheff Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen FoodsCooking modes - lower cavityBake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast PreheatCleaning type - lowerSelf CleanTelescopic rack1Illumination typeLED (Upper) / Halogen (Lower)Interior lights1 Upper / 2 LowerOven Performance1000 WMicrowave power - upper cavity1000 WBake / broil element wattages - upper cavity600 / 1,750 WBake / broil element wattages - lower cavity2,400 / 3,800 WConvection element wattages - lower cavity2,400 / 3,800 WConvection element wattages - lower cavity40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug			Yes		
modes - lower cavityRoast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Bake, Convection Bake, Convection Convection, Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast PreheatCleaning type - lowerSelf CleanTelescopic rack1Illumination typeLED (Upper) / Halogen (Lower)Interior lights1 Upper / 2 LowerOven Performance000 WMicrowave power - upper cavity1000 WBake / broil element wattages - upper cavity600 / 1,750 WBake / broil element wattages - lower cavity2,400 / 3,800 WConvection element wattages - lower cavity2,000 WWatts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	modes – upper	(including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef <sup>®</sup> Programs, Hi & Lo Broil, European Convection,			
Telescopic rack1Illumination typeLED (Upper) / Halogen (Lower)Interior lights1 Upper / 2 LowerOven PerformanceMicrowave power – upper cavity1000 WBake / broil element wattages – upper cavity600 / 1,750 WConvection element wattages – upper cavity1,700 WBake / broil element wattages – lower cavity2,400 / 3,800 WBake / broil element wattages – lower cavity2,000 WConvection element wattages – lower cavity9,600 WConvection element wattages – lower cavity40 AVolts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	modes –	Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast			
Illumination typeLED (Upper) / Halogen (Lower)Interior lights1 Upper / 2 LowerOven PerformanceMicrowave power – upper cavity1000 WBake / broil element wattages – upper cavity600 / 1,750 WConvection element wattages – upper cavity1,700 WBake / broil element wattages – upper cavity2,400 / 3,800 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Cleaning type – lower		Self Clean		
Halogen (Lower)Interior lights1 Upper / 2 LowerOven Performance1000 WMicrowave power – upper cavity1000 WBake / broil element wattages – upper cavity600 / 1,750 WConvection element wattages – upper cavity1,700 WBake / broil element wattages – lower cavity2,400 / 3,800 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity9,600 WConvection element wattages – lower cavity40 AVolts (W)9,600 WCircuit breaker (A)400 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Telescopic rack		1		
Oven PerformanceMicrowave power – upper cavity1000 WBake / broil element wattages – upper cavity600 / 1,750 WConvection element wattages – upper cavity1,700 WBake / broil element wattages – lower cavity2,400 / 3,800 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity2,000 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Illumination type				
Microwave power – upper cavity1000 WBake / broil element wattages – upper cavity600 / 1,750 WConvection element wattages – upper cavity1,700 WBake / broil element wattages – lower cavity2,400 / 3,800 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity9,600 WConvection blement wattages – lower cavity40 AVolts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Interior lights		1 Upper / 2 Lower		
upper cavityFinal constraintsBake / broil element wattages – upper cavity600 / 1,750 WConvection element wattages – upper cavity1,700 WBake / broil element wattages – lower cavity2,400 / 3,800 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity2,000 WConvection element wattages – lower cavity9,600 WConvection element wattages – lower cavity9,600 WConvection element wattages – lower cavity9,600 WVolts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Oven Performance				
wattages - upper cavityConvection element wattages - upper cavity1,700 WBake / broil element wattages - lower cavity2,400 / 3,800 WConvection element wattages - lower cavity2,000 WConvection element wattages - lower cavity2,000 WTechnical Details9,600 WWatts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug			1000 W		
wattages - upper cavityBake / broil element wattages - lower cavity2,400 / 3,800 WConvection element wattages - lower cavity2,000 WTechnical Details2,000 WWatts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug			600 / 1,750 W		
wattages - lower cavity2,000 WConvection element wattages - lower cavity2,000 WTechnical DetailsWatts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug			1,700 W		
wattages – lower cavityTechnical DetailsWatts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug			2,400 / 3,800 W		
Technical DetailsWatts (W)9,600 WCircuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug			2,000 W		
Circuit breaker (A)40 AVolts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Technical Details				
Volts (V); Frequency (Hz)240 / 208 V; 60 HzPower cord length (in)50"Plug typeFixed Connection, No Plug	Watts (W)		9,600 W		
Power cord length (in)50"Plug typeFixed Connection, No Plug	Circuit breaker (A)		40 A		
Plug type Fixed Connection, No Plug	Volts (V); Frequency (Hz)		240 / 208 V; 60 Hz		
No Plug	Power cord length (in)		50"		
Energy source Electric	Plug type				
	Energy sour	ce	Electric		

Dimensions & Weight		
Overall appliance dimensions (HxWxD)(in)	49" x 29 <b>3/4</b> " x 24 <b>1/2</b> "	
Required cutout size – Standard (HxWxD) (in)	48 <sup>5</sup> /8" x 28 <sup>1</sup> /2" x 23 <sup>1</sup> /2"	
Required cutout size – Flush (HxWxD) (in)	49 <b>1/8</b> " x 30" x 24 <b>1/2</b> "	
Speed oven cavity size – upper	1.6 cu. ft.	
Overall upper speed oven interior dimensions (HxWxD) (in.)	9 7/8" × 16 1/2" × 16 1/2"	
Metal turntable diameter (in)	14 <b>1/8</b> " dia.	
Ceramic tray diameter (in)	13 <b>3/4</b> " dia.	
Rack – rectangular cookware max. – upper	15" x 12"	
Oven cavity size – lower	4.6 cu. ft.	
Overall lower oven interior dimensions (HxWxD) (in)	17 <b>13/16</b> " x 24 <b>1/8</b> " x 18"	
Usable lower oven interior dimensions (HxWxD) (in)	12 1/4" x 23 1/4" x 15 1/4"	
Net weight (lbs)	259 lbs	
Accessories – Included		

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe

Accessories – Optional



HEZTR301 30" Telescopic Rack



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


### **30" Speed Combination Oven**

800 Series - Stainless Steel HBL8753UC



### **Installation Details**





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# **30" Speed Combination Oven**

800 Series - Stainless Steel HBL8753UC



#### **Installation Details**



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.