

This USB-A to USB-C Dongle Adapter Converter is an easy and convenient solution for connecting a USB-C cable, USB-C hub, or USB-C peripherals to a USB-A female port on a laptop or source device.

Pair this adapter with a USB-A laptop and the Barco ClickShare to enjoy a hybrid meeting space with flexibility for virtual collaboration.

Note: This USB-A to USB-C Adapter supports USB 2.0 (480 Mbps) and will not support video transmission.

Features and Benefits:

- Adapts a USB-A female port of a laptop or source device to a USB-C port for data transmission
- Dongle style adapter reduces strain, prolonging the life of the port
- Plug-and-play, so no additional software or drivers needed

Additional Technical Specifications

SIGNAL SPECIFICATIONS

- Testing: 100% Functional Test @ USB 2.0 (480 Mbps)

ELECTRICAL SPECIFICATIONS

- Conductor Resistance: at 20°C Max, 28 AWG: 237Ω/KM; 24 AWG: 93Ω/KM
- Voltage Rating: 30V
- Insulation Resistance: 10 Ω/KM min at 20°C DC 500V
- Dielectric Strength: AC 500V/1 Minute No Breakdown

PHYSICAL SPECIFICATIONS

- Temperature Rating: 105°C
- Minimum Bend Radius: 25mm

PHYSICAL CHARACTERISTICS

- Connector 1: USB-A Male; Solder Type, Contacts: Brass, Gold Flash, Housing: PBT, White, Shell: Nickel Plated
- Connector 2: USB-C Female; Solder Type, Contacts: Brass, Gold Flash, Housing: LCP, Black, Shell: Nickel Plated
- Adapter Hood: Molded Black (Pantone/#Black 6C) PVC
- Color Band: Black (Pantone#6C)
- Jacket Material: PVC
- Jacket Thickness: 0.55mm AVG
- Product is CE Marked and Conforms to 2011/65/EU ROHS 2



Features & Benefits

Adapts a USB-A female port of a laptop or source device to a USB-C port Dongle style adapter reduces strain, prolonging the life of the port for data transmission

Plug-and-play, so no additional software or drivers needed

Specifications

General Info

Product Line	C2G	Color	Black
UPC Number	757120300625	Country Of Origin	China
Application Sector	Residential, Commercial	Warranty Type	Lifetime
Type	Adapter, Converter		

Listing Agencies / 3rd Party Agencies

CE	Yes
----	-----

Technical Information

Jacket Material	PVC (Polyvinyl Chloride)	Bend Radius	25 mm
Jacket Rating	VW-1 Rated, FT1 Rated	Data Transfer Rate	480 Mbps
Adapter Rear	USB-A Male	Adapter Front	USB-C Male
Voltage	30 V		
