

The PACVISO1 Vibration Isolation Wall Mount Accessory is designed to minimize structure-borne sound transmission from mounted televisions to neighboring rooms. It can reduce perceived structure-borne sounds by up to 80-87% on average while maintaining the sleek look of Chief wall mounts.

You no longer need to place TVs on furniture!

The PACVISO1 requires minimal time to install and cuts out the labor and materials associated with double-framing walls for sound vibration reduction solutions, making it a perfect solution for new builds, retrofits and renovations. Ideal for a variety of applications where significant sound vibration reduction is needed: large venue suites, hotel guestrooms, clinic patient rooms, temporary office walls, and more!



Vibration isolating elastomer material dampens TV sound vibrations

PACVISO1 Vibration Isolation Wall Mount Accessory

FEATURES

- Reduces perceived structure-borne sounds by up to 80-87% (up to 25-30dB insertion loss), on average
- Simple Installation
- Ideal for new builds, retrofits and renovations
- Specifically designed with high performance proprietary elastomeric materials
- Compatible with typical 43" to 65" screens with RMF3 Medium Fit[™] Fixed Display Wall Mount
- Adds only 1" (25mm) depth behind television
- 3" (76 mm) height adjust for best placement of wall mount and TV







LEGRAND | AV COMMERCIAL BRANDS C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com





PACVISO1 shown with RMF3 Medium Fit™ Fixed Wall Display Mount

SKUPACVIS01STRUCTURE-BORNE VIBRATION ISOLATIONup to 25-30 dB insertion lossDIMENSIONS (WXHXD)21.1" x 23.68" x 1.07" (536 x 602 x 27 mm)L125 lbs (56.7 kg) on wood/steel studs (25ga minimum); 75 lbs (34 kg) on drywall-only wallTYPICAL TV SIZES43" - 65"L125 lbs (56.7 kg) on drywall-only wallL125 lbs (36 kg) on drywall-only wallL125 lbs (36 kg) on drywall-only wallL125 lbs (34 kg) on drywall-only wallL125 lbs (36 kg) on drywall-only wallL126 lbs (36 kg) on drywall-only wallL127 min. drywall thicknessL126 lbs (26 ga minimum) 16" on center; Drywall only: 1/2" min. drywall MountL127 (27 mm)L126 lbs (27 mm)L127 (53 mm)		
DIMENSIONS (WXHXD)211" x 23.68" x 1.07" (536 x 602 x 27 mm)WEIGHT RATING125 lbs (56.7 kg) on wood/steel studs (25ga minimum); 75 lbs (34 kg) on drywall-only wallTYPICAL TV SIZES43" - 65"COLORBlackWALL SUBSTRATEWood or Steel Studs (25ga minimum) 16" on center; Drywall only: 1/2" min. drywall thicknessWALL STUD COMPATIBILITY16" (406 mm) on centerORIENTATIONLandscapeCOMPATIBLE MOUNTSRMF3 Medium Fit™ Fixed Display Wall MountADDED DEPTH1.07" (27 mm)	SKU	PACVIS01
WEIGHT RATING125 lbs (56.7 kg) on wood/steel studs (25ga minimum); 75 lbs (34 kg) on drywall-only wallTYPICAL TV SIZES43" - 65"COLORBlackWALL SUBSTRATEWood or Steel Studs (25ga minimum) 16" on center; Drywall only: 1/2" min. drywall thicknessWALL STUD COMPATIBILITY16" (406 mm) on centerORIENTATIONLandscapeCOMPATIBLE MOUNTSRMF3 Medium Fit™ Fixed Display Wall MountADDED DEPTH107" (27 mm)	STRUCTURE-BORNE VIBRATION ISOLATION	up to 25-30 dB insertion loss
WEIGHT RATING 75 lbs (34 kg) on drywall-only wall TYPICAL TV SIZES 43" - 65" COLOR Black WALL SUBSTRATE Wood or Steel Studs (25ga minimum) 16" on center; Drywall only: 1/2" min. drywall thickness WALL STUD COMPATIBILITY 16" (406 mm) on center ORIENTATION Landscape COMPATIBLE MOUNTS RMF3 Medium Fit™ Fixed Display Wall Mount ADDED DEPTH 1.07" (27 mm)	DIMENSIONS (WXHXD)	21.1" x 23.68" x 1.07" (536 x 602 x 27 mm)
COLOR Black WALL SUBSTRATE Wood or Steel Studs (25ga minimum) 16" on center; Drywall only: 1/2" min. drywall thickness WALL STUD COMPATIBILITY 16" (406 mm) on center ORIENTATION Landscape COMPATIBLE MOUNTS RMF3 Medium Fit™ Fixed Display Wall Mount ADDED DEPTH 107" (27 mm)	WEIGHT RATING	
Wall SUBSTRATE Wood or Steel Studs (25ga minimum) 16" on center; Drywall only: 1/2" min. drywall thickness Wall STUD COMPATIBILITY 16" (406 mm) on center ORIENTATION Landscape COMPATIBLE MOUNTS RMF3 Medium Fit™ Fixed Display Wall Mount ADDED DEPTH 1.07" (27 mm)	TYPICAL TV SIZES	43" - 65"
WALL SUBSTRATE Drywall only: 1/2" min. drywall thickness WALL STUD COMPATIBILITY 16" (406 mm) on center ORIENTATION Landscape COMPATIBLE MOUNTS RMF3 Medium Fit™ Fixed Display Wall Mount ADDED DEPTH 1.07" (27 mm)	COLOR	Black
ORIENTATION Landscape COMPATIBLE MOUNTS RMF3 Medium Fit [™] Fixed Display Wall Mount ADDED DEPTH 1.07" (27 mm)	WALL SUBSTRATE	
COMPATIBLE MOUNTS RMF3 Medium Fit [™] Fixed Display Wall Mount ADDED DEPTH 1.07" (27 mm)	WALL STUD COMPATIBILITY	16" (406 mm) on center
ADDED DEPTH 1.07" (27 mm)	ORIENTATION	Landscape
	COMPATIBLE MOUNTS	RMF3 Medium Fit™ Fixed Display Wall Mount
TOTAL DEPTH WITH MOUNT 2.07" (53 mm)	ADDED DEPTH	1.07" (27 mm)
	TOTAL DEPTH WITH MOUNT	2.07" (53 mm)



LEGRAND | AV COMMERCIAL BRANDS C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com











Please note: this is a preliminary drawing and modifications can occur



LEGRAND | AV COMMERCIAL BRANDS C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

©2023 Legrand AV Inc. 230443 Rev A 6/23 Chief is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.