

4-Port USB-C Hub, USB-C to 4x USB-A Ports, USB 3.0, Black

MODEL NUMBER: U460-004-4A-AL



USB 3.1 Gen 1 portable hub adds 4 USB-A ports to the USB-C or Thunderbolt 3 port on your MacBook, Chromebook, PC, tablet or smartphone.

Features

USB-C 3.1 Hub Connects 4 USB Peripherals to Your MacBook or Chromebook This USB-C hub allows you to connect up to four USB peripherals to your tablet, laptop, notebook, MacBook, Chromebook, smartphone or PC. You can expand the potential of your device by connecting USB peripherals that can help you do your job faster, easier and better, such as an external hard drive, keyboard/mouse, power meter and printer.

Connects USB Peripherals and Transfers Data at Fast USB 3.1 Gen 1 Speeds All four USB ports transfer data at speeds up to 5 Gbps, which is 10 times faster than USB 2.0. The USB ports are backward compatible with previous USB generations, so you can continue using older peripherals while getting high-speed performance from new devices. **Note:** Host must support USB OTG (On-the-Go) **Built-In USB-C Cable Connects in Either Direction**

Connect the reversible USB-C plug to your source device's USB-C or Thunderbolt 3 port. The fumble-free USB-C plug connects in either direction to ensure fast, easy connection every time.

Ready to Use Right Out of the Package The plug-and-play USB Type-C hub is specifically designed for use with the MacBook, Google Chromebook Pixel and other laptops, tablets and devices equipped with a USB-C or Thunderbolt 3 port. It requires no software, drivers or external power. The lightweight aluminum case fits easily into a pocket, briefcase or laptop bag for connecting on the go.

Highlights

- USB-C 3.1 Type-C hub is compatible with all USB-C and Thunderbolt 3 devices
- Accepts up to 4 USB peripherals, turning your laptop into a mini workstation
- Supports USB 3.1 Gen 1 speeds up to 5 Gbps to ensure fast data transfers
- Reversible USB-C plug connects in either direction for immediate no-fuss use
- Plug-and-play operation with no software required for easy, immediate installation

Applications

- Connect up to 4 USB peripherals, such as an external hard drive, MP3 player, power meter and printer
- Transfer files quickly to and from a USB thumb drive
- Attach a USB headset/microphone for recording your podcast
- Write a report using a USB keyboard with your tablet or Android smartphone
- Download photos from a digital camera

System Requirements

- Tablet, laptop, Chromebook, MacBook, smartphone, PC or other device with USB-C or Thunderbolt 3 port

Package Includes

- U460-004-4A-AL USB 3.1 C Hub, 5 Gbps, Aluminum Housing

Specifications

| OVERVIEW | |
|----------|--------------|
| UPC Code | 037332214010 |

| | |
|--|------------------------------------|
| Product Type | Hub |
| Host Connector | USB C (MALE) |
| VIDEO | |
| Number of Monitors Supported | 0 |
| Extended Mode | No |
| Mirror Mode | No |
| DATA | |
| Data Ports | (4) USB A (FEMALE) |
| Data Ports Details | (4) USB-A - USB 3.2 Gen 1 (5 Gbps) |
| INPUT | |
| Bus Powered | Yes |
| Product Length (in.) | 8.5 |
| Product Length (cm.) | 21.6 |
| Product Length (ft.) | 0.71 |
| Product Length (m.) | 0.22 |
| BATTERY | |
| Battery Charging (5V/1.5A Port) | No |
| POWER | |
| Power Consumption (Watts) | 0.7 |
| USB Power Delivery (PD) Charging Support | No |
| USER INTERFACE, ALERTS & CONTROLS | |
| LED Indicators | Blue - Connection |
| CHARGING | |
| Charging Ports / Amps | (4) 1.5A |
| PHYSICAL | |
| Color | Black |
| Material of Construction | Aluminum |
| Cable Jacket Rating | VW-1 |
| Shipping Dimensions (hwd / in.) | 0.79 x 5.95 x 3.15 |
| Shipping Dimensions (hwd / cm) | 2.01 x 15.11 x 8.00 |

| | |
|--------------------------------------|-------------------------------------|
| Shipping Weight (lbs.) | 0.17 |
| Shipping Weight (kg) | 0.08 |
| Unit Dimensions (hwd / in.) | 1.600 x 2.400 x 0.400 |
| Unit Dimensions (hwd / cm) | 4.1 x 6.1 x 1.0 |
| Unit Packaging Type | Box |
| Unit Weight (lbs.) | 0.09 |
| Unit Weight (kg) | 0.04 |
| ENVIRONMENTAL | |
| Operating Temperature Range | 32° to 122°F (0° to 50°C) |
| Storage Temperature Range | 14° to 167°F (-10° to 75°C) |
| Relative Humidity | 0% to 85% RH, Non-Condensing |
| BTUs | 2.4 BTU/Hr |
| CONNECTIONS | |
| Number of Ports | 4 |
| Side A - Connector 1 | USB C (MALE) |
| Side B - Connector 1 | (4) USB 3.0 A (FEMALE) |
| Side B - Connector 2 | MICRO-USB B (FEMALE) |
| Connector Plating | Nickel |
| FEATURES & SPECIFICATIONS | |
| USB Specification | USB 3.1 Gen 1 (up to 5 Gbps) |
| Driver Required | No |
| STANDARDS & COMPLIANCE | |
| Product Compliance | RoHS; CE (Europe); REACH; FCC (USA) |
| WARRANTY & SUPPORT | |
| Product Warranty Period (Worldwide) | 3-year limited warranty |