

FRIGIDAIRE GALLERY.

FGEW3066UF

Frigidaire Gallery 30"
Single Electric Wall
Oven

Smudge-Proof™
Stainless Steel



AVAILABLE COLORS



Black
Stainless
Steel

PRODUCT DIMENSIONS

Height	29"
Width	30"
Depth	24-3/4"

MORE EASY-TO-USE FEATURES

Cleanup is easy with Hidden Bake

Lower heating elements are beneath the oven floor, making for a smooth surface that is easy to clean.

Smudge-Proof® Stainless Steel
Resists fingerprints and cleans easily.

Our Largest Capacity Oven

Cook more at once with 5.1 cubic feet of oven capacity.

Easily access dishes with our glide rack

Rack easily glides in and out allowing you to access dishes from your oven.

Oven Rack Handles

Oven racks are designed with space for you to easily pull out the racks, even when wearing an oven mitt.

Easy to Clean with Self-Cleaning

Your oven cleans itself - so you don't have to. Self clean options available in 2, 3, and 4-hour cycles.

Vari-Broil™ Temperature Control

Allows you to choose between two heat levels.

SIGNATURE FEATURES



Faster, More Even Baking Results with True Convection

Get faster, more even multi-rack baking in both ovens with a powerful convection fan and third heating element that evenly circulates hot air throughout the oven.



Quick Preheat

Preheat in just a few minutes.¹



Effortless™ Temperature Probe

The Effortless™ Temperature Probe detects and alerts when the desired finished cooking temperature has been reached and automatically switches to the keep warm setting.

FRIGIDAIRE FIT PROMISE

Frigidaire Fit Promise

We promise that your new 27" or 30" Frigidaire® single wall oven will fit your existing cabinet cutout of the same width and configuration, or we will reimburse you for modification costs.²

CERTIFICATIONS

ADA Compliant



Star-K® Certified (Sabbath Mode)

frigidaire.com/frigidaire.ca

FGEW3066UF

Frigidaire Gallery 30" Single Electric Wall Oven

General Specifications

Product Weight (lbs)	125
Frigidaire Fit Promise	Yes
PROP 65 Label	No
Power Type	Electric
Size	30"
Installation Type	Built-In
Collection	Frigidaire Gallery

Capacities

Oven 1 Capacity	5.1
-----------------	-----

Electrical Specifications

Power Supply Connection Location	Left Rear Bottom
Voltage Rating	240V / 208V 60Hz
Connected Load (kW Rating) @ 240V	3.7 / 2.8
Amps @ 240 Volts	15.4 / 13.5
Minimum Circuit Required (Amps)	20A

Certifications & Approvals

Sabbath Mode (Star-K® Certified)	Yes
ADA Compliant	Yes
Agency Approval	UL/CSA

Oven Specifications

Oven 1 Type	Main
Oven 1 Bake	2200 Watts
Oven 1 Baking System	True Hidden Bake
Oven 1 Broil	6 pass 4000 Watts
Oven 1 Broiling System	Variable (400°F to 550°F)
Oven 1 Convection	2500 Watts
Oven 1 Interior Lighting	2 Halogen
Oven 1 Rack Configuration	2 HD Handle 1 Offset
Oven 1 Rack Positions	6 positions
Oven 1 Cleaning System	Self Clean w/Steam Clean Option
Oven Window	XL Window
Oven 1 Convection System	Single Fan

Installation Type

Under Counter Approved	Approved
------------------------	----------

Exterior

Control Panel Finish	Metal Stainless Steel
Door Finish	Stainless Steel
Handle Color	Stainless Steel
Exterior Finish	Smudge-Proof™ Stainless Steel

Internal Specifications

Oven 1 Interior Height	18-5/8"
Oven 1 Interior Width	24-1/8"
Oven 1 Interior Depth	19-1/2"
Oven 1 Interior Color	Midnight Black
Oven 1 Type	Main
Oven 1 Bake	2200 Watts
Oven 1 Baking System	True Hidden Bake
Oven 1 Broil	6 pass 4000 Watts
Oven 1 Broiling System	Variable (400°F to 550°F)
Oven 1 Convection	2500 Watts
Oven 1 Interior Lighting	2 Halogen
Oven 1 Rack Configuration	2 HD Handle 1 Offset
Oven 1 Rack Positions	6 positions
Oven 1 Cleaning System	Self Clean w/Steam Clean Option
Oven Window	XL Window
Oven 1 Convection System	Single Fan

Weight and Dimensions

Shipping Weight (lbs)	145
Product Weight (lbs)	125
Frigidaire Fit Promise	Yes
PROP 65 Label	No

Cooking Controls

Bake	Yes
Broil	Variable
Chicken Nugget Button	No
Convection Conversion	Yes
Keep Warm	Yes
Pizza Button	No
Quick Preheat	Yes
Self-Clean	2 3 4 Hours
Interface	Membrane
Oven Light	Yes
Lockout	Yes
Temperature Probe	Yes
Add-a-Minute	No
Start Time	Multiple Functions
Timer	Yes
Cook Duration	Yes
Numerical Keypad	Yes

Exterior Dimensions

Height	29"
Width	30"
Depth	24-3/4"
Depth (with Door 90° Open)	45-3/4"

Cut-Out Dimensions

Cut-Out Height	27-1/4" - 28-1/4"
Cut-Out Width	28-1/2" - 29"
Cut-Out Depth	24"

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
 CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FGEW3066UF
 ©2017 Electrolux Home Products, Inc.