
MANTEL

MODEL

X5021-1CHR X5021-1MAH X5021-1TEK X5021-1WHT X5021-1BLK X5021-1WAL

X5021-1GRY



1 REV19-01


HARDWARE CONTENTS PACKAGE CONTENTS Bolt Qty. 27 Metal Connector Qty. 27 D ➤ G ㅈ 8 Shelf Pin Qty. 8 8 NYLOH STRAP FLAT HEAD SCREW (4*35MM) FLAT HEAD SCREW (4*15MM) MOUNTING BRACKET ANCHOR 포 П ѿ J₁ S _Safety Chain Qty. 1 H₂ J₂ ဂ П

	_	Safety Chain	SS
	8	Shelf Pin	CC
	27	Metal Connector	BB
	27	Bolt	AA
	_	Shelf Rail	L
	_	Base	ス
	_	Lower Back Panel	J2
		Lower Back Panel	J 1
	1	Upper Back Panel	_
	_	Adjustable Shelf	H2
	1	Adjustable Shelf	Ŧ
	1	Right Side Panel	G
	1	Left Side Panel	F
	_	Top shelf	ш
	1	Right Inner Panel	D
	1	Left Inner Panel	С
	1	Top Trim Panel	В
	_	Top Panel	Α
PART NO.	QTY.	DESCRIPTION	PART


Some parts and specifications may change without notice.


Carefully remove all pieces from the carton and make sure that you have all parts listed (refer to parts list on page 2-3).


-




5












5

П


6.










œ






9.













14.





<u>1</u>5.






IMPORTANT - Safety Chain Installation

WARNING:

Failure to do so can cause serious injury or death. This mantel is heavy furniture. Please be sure to correctly attach the safety chain to both the mantel and an adjacent wall.



INSTALLATION:

- Assemble the mantel and place it in position
- Attach one end of the chain to a wall stud using the screw included
- starter hole). Put the screw through the chain link that allows the least amount of slack in the chain. Attach the other screw – through a link in the chain – to the center of the mantel's top board (you may need to drill a small
- Carefully test that the installed chain adequately prevents tipping or tilting of the mantel.

NOTE: The chain must be as short as possible to prevent the mantel tipping forward. Do not allow slack in the chain.