

Haunted Hill Farm®

Presents our ghoulish collection of Halloween décor from

FRASER HILL FARM

Thank you for choosing Haunted Hill Farm!
If you have any questions, concerns or suggestions, please
contact us directly.

Boo@HauntedHillFarm.com (Anytime)

1-888-840-4559

(9AM to 9PM Eastern Time, Monday - Friday)

(9AM to 5PM Saturday - Sunday)

In the unlikely event that you experience a problem, please provide pictures and a description of the problem, a receipt (if available), name and address of the purchaser and the name of retailer where you purchased the product.

Please do not return this item to the retailer.

See the full Haunted Hill Farm collection and get online support for assembly, troubleshooting, care and maintenance at:

www.HauntedHillFarm.com

Please follow the step by step guide and enjoy your Wicked Cauldron Witches!

HHWTCHCLDN-3FLSA



The model number of your item is printed on the side of your carton.
Always use this number to identify your item.

Thank you for your purchase of this quality Halloween decor. With proper use and care, your Halloween decor will provide you with years of enjoyment. Please follow the instructions on how to assemble and disassemble your item. If you should have any problems with your item, or you have any questions, **DO NOT** return it to the place of purchase. Please call our toll-free number: **1-888-840-4559** and a customer service representative will assist you. Enjoy your Holiday!


PARTS LIST

- A. Left Base
- B. Right Base
- C. Witch Support Poles
- D. Control Box Support Pole
- E. Right Witch Shoulder Frame
- F. Left Witch Shoulder Frame
- G. Left Witch Costume
- H. Right Witch Costume
- I. Left Witch Head
- J. Right Witch Head
- K. Right Witch Right Arm
- L. Right Witch Left Arm
- M. Left Witch Left Arm
- N. Left Witch Right Arm
- O. Cauldron
- P. Stirring Stick Top
- Q. Stirring Stick Bottom
- R. Left Witch Cape
- S. Right Witch Cape
- T. Left Witch Hat
- U. Right Witch Hat



AC Adapter

* AC Adapter Spec
Input: 100 - 240VAC 50/60Hz
Output: 5.9V 1.5A



BEFORE ASSEMBLING, REMOVE ALL THE ABOVE PARTS FROM BOX. IF ANY PART IS MISSING, DO NOT ATTEMPT TO ASSEMBLE THE PRODUCT. CONTACT CUSTOMER SERVICE AT BOO@HAUNTEDHILLFARM.COM, OR BY PHONE FROM 9:00AM TO 5:00PM EST AT 1-888-840-4559.

CARE AND STORAGE INSTRUCTIONS

When the product not in use, store in its original packing after it is completely dry.
Keep away from heat.


Please read all instructions carefully before assembling. Save this instruction sheet for future reference.

WARNING


This item is not a toy and should be used for decoration only. This item contains small parts that can be a choking hazard. Keep all plastic and wire parts away from children. Recommended for ages 14 and up.

1. Please use the adapter supplied by manufacturer.
2. Please assemble item according to instructions. Connect all wires according to matching color.
3. Children should be supervised by adults. Item should not be grabbed, as it becomes a tipping hazard. Keep all away from the adapter, as it heats up during operation.
4. This item contains Polyvinyl Chloride (PVC).
5. Colors, style and contents may vary slightly from those shown on the package.

ASSEMBLY INSTRUCTIONS



1




2

STEP 1


NOTE: When the (A) Left Base and (B) Right Base are assembled, the 2 metal protrusions should be facing frontwards.

Assemble the (A) Left Base and the (B) Right Base by sliding the metal protrusions on the (A) Left Base into the housings on the (B) Right Base as shown.

Then assemble one of the (C) Right Witch Support Poles to the (B) Right Base using the quick-connect push button and drilled hole. Assemble the (C) Left Witch Support Pole to the (A) Left Base in a similar fashion by using the quick-connect push button and drilled hole as shown.



1



2

STEP 2

NOTE: The speaker on the Function Control Box should be facing forward.

Assemble the second (C) Right Witch Support Pole onto the previously assembled (C) Right Witch Support Pole using the quick-connect push button and drilled hole. Then attach the (D) Control Box Support Pole to the (C) Left Witch Lower Support Pole in a similar fashion by using the quick-connect push button and drilled hole as shown. Attach the (E) Right Witch Shoulder Frame to the (C) Right Witch Support Poles and the (F) Left Witch Shoulder Frame to the (D) Control Box Support Pole. Do this by using the quick-connect push buttons and drilled holes.



1



2

STEP 3

Lower the (G) Left Witch Costume Over the (F) Left Witch Shoulder Frame so that the opening of the costume is facing the back. Then lower the (H) Right Witch Costume Over the (E) Right Witch Shoulder Frame so that the opening of the costume is facing the back.

Place the (I) Left Witch Head onto the (F) Left Witch Shoulder Frame by sliding the forked hook on the (I) Left Witch Head into the forked hook housing on the (F) Left Witch Shoulder Frame. Then place the (J) Right Witch Head onto the (E) Right Witch Shoulder Frame by sliding the forked hook on the (J) Right Witch Head into the forked hook housing on the (E) Right Witch Shoulder Frame as shown. Now, plug the Adapter into the input receiving jack marked "DC 5.5V" on the Function Control Box.



STEP 4

Next, assemble the (K) Right Witch Right Arm to the (E) Right Witch Shoulder Frame by sliding the (K) Right Witch Right Arm up the right sleeve of the (H) Right Witch Costume. Secure the (K) Right Witch Right Arm to the (E) Right Witch Shoulder Frame by using the forked hook and forked hook housing as shown. Then secure the (L) Right Witch Left Arm to the (E) Right Witch Shoulder Frame in a similar fashion. Slide the (L) Right Witch Left Arm up the left sleeve of the (H) Right Witch Costume and secure to the (E) Right Witch Shoulder Frame using the forked hook and forked hook housing.

Next assemble the (M) Left Witch Left Arm onto the (F) Left Witch Shoulder Frame by sliding the (M) Left Witch Arm up the left sleeve of the (G) Left Witch Costume. Secure the (M) Left Witch Arm to the (F) Left Witch Shoulder frame by using the forked hook and forked hook housing. Then assemble the (N) Left Witch Right Arm onto the (F) Left Witch Shoulder Frame by sliding the (N) Left Witch Right Arm up the right sleeve of the (G) Left Witch Costume. Secure the (N) Left Witch Right Arm onto the (F) Left Witch Shoulder Frame by using the forked hook and forked hook housing as shown.

Once all arms are attached, secure the (G) Left Witch Costume to the (I) Left Witch Head by using the hook & loop closures. Then secure the (H) Right Witch Costume to the (J) Right Witch Head by using the hook & loop closures as shown.



STEP 5
 Put the (C) Cauldron into place by sliding the protrusions on the (A) Left Base and (B) Right Base into the housings on the (C) Cauldron.
 Connect all wires to their corresponding wire as shown.



STEP 6
 Slide the (P) Stirring Stick Top through the left witch's hands so that the right hand is at the top.
 Then place the (Q) Stirring Stick Bottom on the stirring mechanism within the (C) Cauldron so that the "female" end of the (Q) Stirring Stick Bottom is aiming upwards. Secure the (P) Stirring Stick Top to the (Q) Stirring Stick Bottom by inserting the "male" end of the (P) Stirring Stick Top into the "female" end of the (Q) Stirring Stick Bottom. Twist to secure in place as shown.



STEP 7
 Connect all wires from the (I) Left Witch Head to the corresponding wires from the Function Control Box.
 Then close the openings on the back of the (G) Left Witch Costume and (H) Right Witch Costume by using the hook & loop closures as shown.



STEP 8
 Drape the (R) Left Cape around the neck of the (I) Left Witch Head and secure in place using the hook & loop closure.
 Then Drape the (S) Right Witch Cape around the neck of the (J) Right Witch Head and secure in place using the hook & loop closure as shown.



STEP 9

Place the (T) Left Witch Hat onto the (I) Left Witch Head so that the buckle on the hat is facing front. Secure in place with the hook & loop closure.

Then place the (U) Right Witch Hat onto the (J) Right Witch Head so that the buckle on the hat is facing front. Secure in place with the hook & loop closure.

When activated, the Right Witch's Wand will appear to glow while the Left Witch will appear to be stirring the contents of the (O) Cauldron. The stirring motion is guided by a motor secured to the Stirring Stick within the (O) Cauldron. The Witches will also appear to be talking with animated jaws, dialogue, and background sounds. In addition, the eyes of the Witches light up.


1. Plug the power adapter into a standard power outlet and adjust the settings on the Function Control Box, located on the Chest Frame, as desired.
2. Settings:

Sensor /Détecteur	This switch mode will activate the lights and sound of the item when the Infra-red (IR) sensor is activated and will operate for 1 audio-cycle with each activation. The Infra-red (IR) sensor has a range of up to 2 m/6.5 ft. and will activate when someone comes within an 80-degree angle from left-to-right, as well as from above and below.
<input type="radio"/> /OFF	Power off.
<input type="checkbox"/> / ON	This switch mode will continuously operate the lights and sound of the item.
	Raise or lower the volume using the volume control turn dial, turn all the way down to turn the volume off .

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna, increase the separation between the equipment and receiver, connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or experienced radio/TV technician for help.



**SAFETY INSTRUCTIONS -SAVE THESE INSTRUCTIONS
DANGER-TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK
CAREFULLY FOLLOW THESE INSTRUCTIONS**

The important safety instructions shall be provided with a power unit and include those items in the following list that are applicable. The statement

“READ AND FOLLOW ALL SAFETY INSTRUCTIONS” shall be prominently displayed and precede the list, and the statement **“SAVE THESE INSTRUCTIONS”** shall be prominently displayed and follow the list. The word **“WARNING”** shall be entirely in upper case letters.

When using electrical products, basic precautions should always be practiced including the following:

READ AND FOLLOW ALL SAFETY INSTRUCTIONS.

Read and follow all instructions that are on the product or provided with the product.

For a cord-connected or direct plug-in power unit, do not use an extension cord.

Reference the National Electrical Code, NFPA 70, specifically for the installation of wiring and clearances from power and lighting conductors.

Installation work and electrical wiring must be done by qualified person(s) in accordance with all applicable codes and standards, including fire-rated construction.

For a cord-connected or direct plug-in power unit, do not install or use within 10 feet of a pool.

WARNING: Risk of Electric Shock. When used outdoors, install only to a covered Class A GFCI protected receptacle that is weatherproof with the power unit connected to the receptacle. If one is not provided, contact a qualified electrician for proper installation. Ensure that the power unit and cord do not interfere with completely closing the receptacle cover.

WARNING: Risk of Fire. Installation involves special wiring methods to run wiring through a building structure. Consult a qualified electrician.

IMPORTANT SAFETY INSTRUCTIONS



Warnings

- This product is for decoration only and is not a toy. Small parts and choking hazard. Use caution with children under the age of 14.
- Do not position the decoration near candles, sources of heat, or in direct sunlight.
- The decoration cannot be connected to the power supply directly.
- Decoration should be on a level, stable surface to prevent it from falling over.
- This product is fragile and should be assembled with care.
- Surface washable only.
- Please follow the steps and requirements specified in the instruction to ensure safety and reliability during the installation.

WARNING

**DO NOT TURN ITEM ON UNTIL YOU HAVE COMPLETELY FINISHED ASSEMBLY.
STAY CLEAR OF ITEM WHILE OPERATING.
DO NOT PLACE ITEM ON UNEVEN GROUND.
DO NOT PLACE WEIGHT ON ITEM WHILE IN OPERATION.**

Storage tips: We suggest saving the carton for storing your figurine. Store in a cool, dry area where the temperature does not exceed 100°F.

1-YEAR LIMITED WARRANTY

"Limited" Warranty Program

For a period of one (1) year after purchase, Haunted Hill Farm ("Manufacturer") will either repair or replace defective components in accordance with this Limited Warranty.

Sales and use taxes, plus shipping and handling charges are the responsibility of the consumer.

This warranty is between Manufacturer and the original purchaser and is valid only when accompanied by the original purchaser's sales receipt showing original date of purchase and location of purchase. Replacements under this warranty revert back to the date of original purchase for future warranty.

Manufacturer or its authorized dealer can accept or reject warranty claims based on its findings. This warranty applies in normal residential use only, where an issue with the product is due to a defect in material or workmanship. Manufacturer can make substitutions as required of materials, components, and sub-components of comparable value and utility. This warranty is limited to product repair or replacement (to be determined solely by Manufacturer). Warranty return is limited to only the single affected component.

This warranty covers only manufacturing defects and does not cover normal wear and tear, abuse or misuse, including: water damage, chemical damage, exposure to extreme heat or cold, abrasion or excessive weight. This product is intended to be used with standard ornaments only. This warranty is invalid if the product is not used for intended purpose. Manufacturer disclaims liability for any aspect of installation and any inconvenience caused by a defective part or component.

Certain items are not covered by this warranty. These include, but are not limited to the following:

1. Components subjected to abuse, including abuse intended to simulate failure.
2. Damages caused by retailer, shipper or installation crew (such as scratches, dents, tears, etc.).
3. Any part which merely exhibits normal wear yet functions essentially as new, including stretching of materials and stitching.
4. Tears, punctures, scratches or any damage caused by improper installation or use.
5. Items sold "as is" or floor models.

To make a claim, send a copy of the original sales receipt along with a brief description of the problem to the email address below. Please include your email address and daytime telephone or cell phone #. All items maybe charged actual freight and handling costs. Repairs or replacement will be made at the Manufacturer's option.

THIS IS THE ENTIRE EXCLUSIVE EXPRESS LIMITED LIABILITY. THE MANUFACTURER NEITHER MAKES NOR IS RESPONSIBLE FOR ANY OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING THOSE OF RETAILING DEALERS. THIS EXCLUSIVE REMEDY IS LIMITED TO RECEIPT OF A CREDIT IN CONNECTION WITH THE REPAIR OR REPLACEMENT OF ANY PRODUCT OR COMPONENT DEEMED TO BE DEFECTIVE UNDER THE TERMS AND CONDITIONS AS STATED IN THIS WARRANTY. NEITHER HAUNTED HILL FARM, THE PRODUCT MANUFACTURER NOR ITS AGENTS SHALL BE LIABLE IN ANY CASE FOR INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT OR ARISING OUT OF ANY BREACH OF THIS WARRANTY OR NEGLIGENCE EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. EXCEPT AS OTHERWISE MAY BE REQUIRED BY LAW, THERE ARE NO OTHER EXPRESS OR IMPLIED WARRANTIES OTHER THAN THE WARRANTY DESCRIBED HEREIN, AND ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED.

Boo@HauntedHillFarm.com