


104LN

1:4 Composite Video Differential & Line Amplifier





The Kramer 104LN is a highperformance line amplifier for composite and SDI video signals. It includes differential circuitry to help eliminate noise often found on the input cable in a long run.





104LN

FEATURES

- High Bandwidth 423MHz (-3dB).
- Level (Gain) and EQ (Peaking) Controls.
- Compact Kramer TOOLS™3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.

TECHNICAL SPECIFICATIONS

INPUT: 1 video (CV IN), differential,

1Vpp/75Ω, on a BNC

connector.

OUTPUTS: 4 video, $1Vpp/75\Omega$ on BNC

connectors.

MAX. OUTPUT 1.6Vpp.

LEVEL:

BANDWIDTH (- 423MHz.

3dB):

DIFF. GAIN: 0.22%.
DIFF. PHASE: 0.1 Deg.
K-FACTOR: <0.05%.
S/N RATIO: 73.3dB.

CONTROL: Level: -1.3 to 6dB; EQ. 0 to

10.2dB.

COUPLING: DC.

POWER SOURCE: 12V DC, 95mA.

DIMENSIONS: 12cm x 7.5cm x 2.5cm (4.7" x

2.95" x 0.98"), W, D, H.

WEIGHT: 0.3kg (0.66lbs) approx.

ACCESSORIES: Power supply, mounting

bracket.

OPTIONS: RK-3T 19" rack adapter.