

907xl

Stereo Power Amplifier/Mixer (40 Watts per Channel)

| Speakers



The 907xl is a high-performance power amplifier for line-level stereo audio signals. It accepts a balanced stereo audio signal on a terminal block connector and an unbalanced stereo signal on RCA connectors. It delivers 40 watts per channel into an  $8\Omega$  load

## **FEATURES**

High Efficiency - Class D operation

Controls - 1 volume control knob for each input & mute button

Gain Control DIP-Switches

Mute and On Indicator LEDs

Compact MultiTOOLS® - Up to 4 units can be rack mounted side-by-side in a 1U rack space with the recommended rack adapter



## TECHNICAL SPECIFICATIONS

INPUTS: 1 balanced stereo audio on a terminal block connector, 1 unbalanced stereo audio

on RCA connectors

OUTPUT: Speaker output on a terminal block connector

OUTPUT POWER: 40W per channel into  $8\Omega$ 

OUTPUT MUSIC

150W per channel into  $8\Omega$ 

POWER:

INPUT SENSITIVITY: 1.2Vrms

AMPLIFIER TYPE: Class D

VOLTAGE GAIN: 36dB (x10)

BANDWIDTH (-3dB): 25kHz

S/N RATIO: 66dB

COUPLING: Inputs: AC, Outputs: DC

AUDIO THD + NOISE: 1.2%

AUDIO 2nd HARMONIC:

1%

POWER

24V DC, 2.2A

CONSUMPTION:

CONTROLS: 2 gain DIP-switches, mute button, 2 input level knobs, 1 volume knob

OPERATING

TEMPERATURE:

0° to +40°C (32° to 104°F)

STORAGE

-40° to +70°C (-40° to 158°F)

TEMPERATURE:

HUMIDITY: 10% to 90%, RHL non-condensing

INCLUDED

ACCESSORIES:

Power supply

PRODUCT

10.68cm x 10.35cm x 4.36cm (4.20" x 4.07" x 1.72" ) W, D, H

DIMENSION:

10.68cm x 10.35cm x 4.36cm (4.20" x 4.07" x 1.72" ) W, D, H

10.68cm x 10.35cm x 4.36cm (4.20" x 4.07" x 1.72" ) W, D, H

PRODUCT WEIGHT: 0.4kg (0.8lbs) approx

0.4kg (0.8lbs) approx

0.4kg (0.8lbs) approx

SHIPPING

35.10cm x 21.20cm x 7.20cm (13.82" x 8.35" x 2.83") W, D, H

DIMENSION:

35.10cm x 21.20cm x 7.20cm (13.82" x 8.35" x 2.83" ) W, D, H

35.10cm x 21.20cm x 7.20cm (13.82" x 8.35" x 2.83") W, D, H

SHIPPING WEIGHT: 1.3kg (2.9lbs) approx

1.3kg (2.9lbs) approx

1.3kg (2.9lbs) approx

