



kramer

C-U32/MFF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Cable



C-U32/FF is a USB-C(M) to USB-C(M), USB 3.2 Gen-2 SuperSpeed+ cable offering a whole new level of reliable connectivity thanks to Kramer's unique cable construction providing flexibility and our popular K-lock. Transfer Video 4K@60 4:4:4, data at incredible speeds (10G), high-rate charging (100W), - all with just one Passive cable.

C-U32/MFF offers throughput of up to 10Gbps when used with a USB 3.2 host and device. The symmetrical, low profile USB Type-C connector, with the integrated K-Lock mechanism, can be plugged in any direction, thus eliminating the frustration of getting the port insertion just right

FEATURES

Quality Construction - Micro coax wires, triple shielding that helps prevent electromagnetic interference and ensures reliable data communication

Reversible USB Type-C Connector with integrated locking mechanism

Video 4K@60 4:4:4 (DP Alt mode)

Transfer Rates - Up to 10Gbps, USB 3.2 Gen 2

USB 2.0

100W power (5A, 20V)

PC, Mac & Mobile Compatible

Plug and Play - For monitors, Web cameras, printers, scanners, keyboards and other digital devices

USB Backward Compatibility - 1.0, 1.1, 2.0 and 3.0

Logo on mold as orientation mark - See the [Why USB-C Is More Than Just a Connector: Understanding Directionality](#) article in the Resources tab

RoHS REACH Compliant



kramer

TECHNICAL SPECIFICATIONS

OVERALL	Type: USB 3.2 GEN-2 Video 4K@60 4:4:4 (DP Alt Mode) USB 3.2 Gen 2 10Gbps USB 2.0 480Gbps ETH Support: 10/100/1000 Mbps
PHYSICAL	Connector A: USB Type-C Male Nickel plated K-Lock connector with gold pins Connector A Length x Width x Height: 23x12x8mm Connector B: USB Type-C Male Nickel plated K-Lock connector with gold pins Connector B Length x Width x Height: 23x12x8mm
JACKET	Material: PVC Color: Black Diameter 5.7 ±0.2mm Bending Radius: 34.2
ELECTRICAL	Temperature Rating: 80°C Voltage Rating: 30V
STANDARDS COMPLIANCE	Safety: CE Flammability Rating: VW-1



kramer

CONFIGURATIONS

C-U32/MFF-6	USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Flexible Passive Cable: Cable Length 6ft (1.8m)
C-U32/MFF-10	USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Flexible Passive Cable: Cable Length 10ft (3m)
C-U32/MFF-15	USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Flexible Passive Cable: Cable Length — 15ft (4.6m)
