

LG Self-ordering Kiosk 27KC3PK-C

LG Kiosk



27-inch Display with an Excellent Touch Sensitivity



Interior Fit Design



Windows OS

	27KC3PK-C
Display Size	27"
Screen Resolution	1,920 × 1,080 (FHD)
Brightness	300 nits
Touch Type	AIT (Advanced In-cell Touch)
Audio Navigation	Yes

#### LG Kiosk



# Interior Fit Design

The seamless design in two tones of calming beiges of the kiosk, creating a harmonious atmosphere which fits your business space interior.



# 27-inch Screen

Through a 27-inch display, the users can access more information with vivid product images for placing an order. This display can be also utilized as a large advertising screen by showing advertisements when in standby mode.



# Easy Maintenance

The drawer-type design of the kiosk allows for convenient device maintenance of the receipt printer, card reader, etc. by simply opening the drawer without needing to disassemble the body.



### Windows OS

By applying Windows 10 IoT Enterprise, it is compatible with various peripheral devices and applications.


### LG Kiosk



# Various Payment Methods

Various payment methods such as Bar codes, QR codes, IC Chip card\* and MST cards\* are supported. In addition, a built-in printer can easily print out receipts without additional peripherals.

\* LG Kiosk supports various EMV terminals including Ingenico terminals; Lane/3000, iUC285 and Verifone P400 which is varies by local payment company in region. EMV terminals are not manufactured or provided by LG.



# **PRODUCT INFORMATION**





# **SPECIFICATIONS**

		27KC3PK-C
Display	Size	27 inch
	Resolution	FHD (1,920 × 1,080)
	Brightness	300 nits
	Touch Type	In-cell
	Speaker	Stereo Max 2 W × 2 (Built-in)
	Network	Ethernet
SoC	Processor	Intel® Celeron® Quad-Core N5105 SoC Onboard Processors (Jasper Lake)
	Memory (RAM)	SO-DIMM, DDR4 3200 MHz, 8 GB
	Storage	SSD 128 GB
	OS	Windows® 10 IoT Enterprise
Receipt Printer	Туре	Thermal
	Printing Speed	Max. 250 mm/sec
	Cutting	Auto
	Paper Size	3.15 inch (Roll Diameter 80 mml)
QR / Barcode Scanner		1D, 2D
	Card Reader	Depend on EMV Terminal
	Туре	Sliding
Frontal Drawer	Area	Receipt Printer / Barcode Scanner / Card Reader
Accessibility	Audio Assistive Technology	Storm Interface AudioNav Keypad, EN 301 549 / ADA Compliant, Mini USB B & 3.5 mm Audio Jack Socket
	Braille Assistive Guide	Yes (Embossed Braille with Arabic Numerals)
	VGA (D-SUB) / Audio Jack	1/2
Jack Interface	HDMI	1
	USB	4 (USB 3.2 Gen1)
	RJ45 (Ethernet)	1
	RJ11	1 (for Cash Drawer 12 V / 24 V)
	Serial Port (RS-232C)	3 (1 × RS-232/422/485, 2 × RS-232 5/12/Ring Switch by BIOS)
	Power Input	1 (DC-12 V, 4-pin Lockable DC Jack 4P Connector)
Power	Rated Voltage	220 V ~, 60 Hz
	Power Consumption (On Mode) (W/h)	40
	Power Consumption (Sleep Mode) (W/h)	0.5
Weight	Set	15 kg
Color		Calming Beige
Power Cable		1.5 m
Dimension	Desk Top (W × H × D)	364.3 × 812 × 342 mm (with a Cradle)
Operation Condition	Temperature	0°C-40°C
	Humidity	10%-80%

\* Specifications are subject to change without notice. Please make sure to check the product manual for details about product usage.





LG may make changes to specifications and product descriptions without notice.
Co-Display-Mobile App
Google Play Store
Www.linkedin.com/c.G\_ID\_HQ
LG may make changes to specifications and product descriptions without notice.
Copyright © 2023 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners."

