



\* All images in this datasheet are for illustrative purposes only.

**UHD Signage** UV5N-E

# UHD Digital Signage with **BrightSignOS™**



BrightSignOS



Super High  
Resolution



Design for Space  
Utilization



Enhanced  
Security

## UV5N-E


Screen Size	65" / 55" / 49"
Screen Resolution	3,840 × 2,160 (UHD)
Brightness	500 nits (Typ.)
Surface Treatment (Haze)	28%
Bezel Width	8.9 mm (T/R/L), 12.9 mm (B)





## BrightSignOS

Leading the way in digital signage, the UV5N-E is powered by BrightSignOS, known for its security, reliability, sustainability, and support. Running BrightSignOS also includes a free bsn.Control subscription for remote multi-device monitoring and seamless integration with over 100 CMS solutions.



## High Resolution Display

Offering a resolution that is four times higher than FHD, the UV5N-E delivers crisp visuals to customers. Additionally, the anti-glare coating on the screen reduces screen reflection in brightly lit environments, increasing visibility and legibility, allowing for customers to comfortably view the screen.



## Design for Space Utilization

Designed with thin bezels and simple cable management, the UV5N-E saves space. With specialized hidden power inlets, it can be installed close to the wall, leaving only about 13 mm of space with the slim bracket.

\* All images are for illustrative purposes only.

\* The product image will differ slightly from the actual appearance of the product due to the variance caused by each inch option.



## Durability that Provides Reliability

Optimized for business environments, the UV5N-E is protected against salt, dust, iron powder and humidity thanks to conformal coating on the power board, allowing for stable operation. Also, its customer-centric features, such as IP5x, 30-degree tilting and Shock Monitoring, provide both reliability and flexibility.

\* All images are for illustrative purposes only.



## Enhanced Security Features

Built exclusively for digital signage, BrightSignOS offers a fortified security system that keeps your content and network protected at every level. It minimizes risks with a secure, signature-verified operating system that can be configured to any security profile and runs only approved signage applications. This security extends to integrated CMS solutions and the free bsn.Control remote management service, ensuring a resilient defense with unmatched uptime.




## Sustainability

With a commitment to innovation and sustainability, LG is continuously striving to create a better future for manufacturers, consumers, and generations to come. With a focus on minimizing waste, maximizing recycling, and efficient power management, LG actively strives for sustainability, obtaining various certifications such as FCC EMC Class B.

\* All images are for illustrative purposes only.

## CONNECTIVITY

65" / 55" / 49"



- |             |             |               |                     |
|-------------|-------------|---------------|---------------------|
| ① LAN IN    | ④ HDMI IN 3 | ⑦ USB 2.0 IN  | ⑩ IR & LIGHT SENSOR |
| ② HDMI IN 1 | ⑤ DP IN     | ⑧ RS-232C IN  | ⑪ AUDIO OUT         |
| ③ HDMI IN 2 | ⑥ HDMI OUT  | ⑨ RS-232C OUT |                     |



Download  
LG Digital Connect  
Mobile App  
Google Play Store

[www.lg.com/global/business/information-display](http://www.lg.com/global/business/information-display)  
[www.youtube.com/c/LGCommercialDisplay](https://www.youtube.com/c/LGCommercialDisplay)  
[www.facebook.com/LGInformationDisplay](https://www.facebook.com/LGInformationDisplay)  
[www.linkedin.com/company/lginformationdisplay](https://www.linkedin.com/company/lginformationdisplay)  
[www.x.com/LG\\_ID\\_HQ](https://www.x.com/LG_ID_HQ)

LG may make changes to specifications and product descriptions without notice. Copyright © 2024 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.