8/9/24, 11:51 AM about:blank

DISPLAY

Diagonal	65"
Resolution	3,840 x 2,160 (UHD)
Backlight Cabinet Type	Direct
Brightness	330 nits
Dynamic Contrast Ratio	1,000,000:1
Static (Panel) Contrast Ratio	1,200:1
Response Time	8 ms (G to G)
Refresh Rate	60 Hz
Life Span	30,000 Hrs.

VIDEO

Al Picture Pro	Yes
Dynamic Vivid	Yes
HDR 10 Pro / HDR HLG	Yes / Yes
Game Optimizer	Yes

AUDIO

Speaker (Sound Output)	10 W + 10 W
Speaker System	2.0 ch

1/4

8/9/24, 11:51 AM about:blank

Al Sound Pro / Al Sound	Yes
Al Acoustic Tuning	Yes (Ready)
LG Sound Sync	Optical/Bluetooth Wireless

BROADCASTING SYSTEM

Digital (Terrestrial, Cable, Satellite)	ATSC, Clear QAM
Analog (NTSC / SECAM / PAL)	NTSC
Global IPTV Support	Yes

HOSPITALITY SOLUTION

Solution Type	Pro:Centric (Smart, Direct, V)
Pro:Idiom (S/W Type), (Mobile, Lite)	Yes

SMART FEATURES

Smart Features	webOS23 User Interface, Smart Home (Launcher Bar), Gallery
	Mode, Quick Access, Web Browser, SDP Server Compatibility,
	Magic Remote Compatibility (MR18HA), SW Clock (World Clock /
	Alarm), Soft AP, Wi-Fi, Screen Share (Miracast), Smart Share,
	DIAL, Bluetooth Audio Playback, Mobile Connection Overlay,
	HDMI-ARC (HDMI 2), Voice Recognition (Standalone/Solution),
	IoT, EZ-Manager, USB Cloning, Wake on RF, WOL, Diagnostics (IP
	Remote), SI Compatible Protocol (MPI, RS-232C), HTNG-CEC

code IR

HOSPITALITY FEATURES

Hospitality Features

Installer Menu, Lock Mode (Limited), Port Block, Welcome Screen (Splash Image), Insert Image, One Channel Map (LCM) External

(1.4), Simplink (HDMI-CEC) (1.4), IR Out (MPI, RS-232C), Multi-

about:blank

Speaker Out (R: 1.0 W, L: 1.0 W, 8 Ω), Instant On, VLAN ID, RJP (Remote Jack Pack) Compatibility (Teleadapt/Guestlink (HDMI-CEC), Mobile Remote, Moving Picture Playback (SD/HD/Plus HD), Auto Off / Sleep Timer, Energy Saving Mode, Motion Eye Care, b-LAN embedded Anti-theft System (Kensington Lock, Credenza/Security Aperture (Except 65"), Lock Down Plate (Except 65")

JACK INTERFACE

Set Side	HDMI In x2 (2.0), USB In (2.0), RS-232C In (3.5 mm TRRS), Speaker Out/Line Out (3.5 mm Stereo), Service Only (3.5 mm TRS)
Set Rear	HDMI In (2.0), USB In (2.0), Antenna/Cable In (Dual b-LAN), Op 5 cal Digital Audio Out, TV-Link CFG (3.5 mm TRS) (b-LAN Service), LAN (RJ45), Aux LAN (RJ45), MPI Port (RJ12)

MECHANICAL

VESA Compatible	300 × 300 mm
Stand Type	1 pole (Fixed)
Front Color	Dark Charcoal Gray
Dimensions without Stand (W x H x D)	57.2 x 33 x 2.3 in. / 1,454 × 838 × 57.7 mm
Dimensions with Stand (W x H x D)	57.2 x 35.8 x 13.4 in. 1,454 × 909 × 340 mm
Shipping Dimensions (W x H x D)	63 x 38.2 x 9 in. / 1,600 × 970 × 228 mm
Weight without Stand	47.4 lbs. / 21.5 kg
Weight with Stand	50.5 lbs. / 22.9 kg
Shipping Weight	63.7 lbs. / 28.9 kg
On Bezel Width (L/R/U/B)	12.8 / 12.8 / 12.8 / 19.9 mm

8/9/24, 11:51 AM about:blank

ELECTRICAL

Power Supply (Voltage, Hz)	100-240 Vac, 50/60 Hz
Power Consumption (Typ. / Max.)	144 W / 180 W
Standby Power Consumption	Under 0.5 W

WARRANTY & OTHER

Warranty	2 Year Limited
Certification	FCC / UL
UPC	1 95174 06331 6
Accessories	In-box Remote (S-Con), Chromecast Anti-theft Cover (Optional), Power Cable (1.8 m, 2-Prong Straight Connector)

about:blank 4/4