

SUMMARY

Series	LG
Type	Front Load Dryer
Vent Type	Vented
Dryer Type	Gas
Capacity	7.4 cu. ft.
Matching Washer	WM6700HBA
Sensor Dry	Yes
Steam	Yes
Color	Black Steel (B)

APPEARANCE

On-Door Electronic Control Panel with LED Display	No
LCD Display	Yes
Hard Buttons	No
Dial-A-Cycle™	Yes
Touch Buttons	Yes
Full Touch Electronic Control Panel with LED Display	No

DRYER PROGRAMS

No. of Programs	23
Programs (Sensor Dry)	Normal, AI Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Antibacterial, Perm.Press, SteamFresh™, Heavy Duty, Air Dry, Steam Sanitary™, Super Dry, Active Wear, Denim -> Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry.
No. of Options	11
Options	Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam™, Reduce Static, Remote Start, Drum Light, Signal.
Temperature Settings	High, Med.High, Medium, Low, Ultra Low
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Dry mode	No
Manual Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time

FABRIC CARE FEATURES

AI Sensor Dry™	Yes
Sensor Dry	Yes
Precise Temperature Control with Variable Heater	Yes
Precise Temperature Control with Variable Compressor	No
Steam	TurboSteam™

CONVENIENCE FEATURES

3 Minute Installation Check	Yes
End of Cycle Signal	Yes
Drum Light (door open)	Yes
Reversible Door	Yes
FlowSense™ Duct Clogging Indicator	Yes
Wrinkle Care Option	Yes
Control Lock	Yes
Venting Option	Electric: 4 Way Venting / Gas: 3 Way Venting
4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator(s)	Yes

THINQ™ TECHNOLOGY

SmartDiagnosis™ (v3.0)	Yes
Wi-Fi	Yes
NFC Tag On Technology	No
Proactive Customer Care (PCC) Remote start and cycle monitor	Yes
Energy Monitoring	Yes

ENERGY

ENERGY STAR® Qualified	Yes
------------------------	-----

CEF	3.49
-----	------

MATERIALS AND FINISHES

Aluminized Alloy Steel Drum	No
-----------------------------	----

NeveRust™ Stainless Steel Drum	Yes
--------------------------------	-----

Cabinet	Painted Steel
---------	---------------

Door	Tempered Glass Door
------	---------------------

All Available Colors	Black Steel (B)
----------------------	-----------------

POWER SOURCE

Ratings	CSA Listed
---------	------------

Electrical Requirements	120V, 15 Amps (Gas) / 240V 30 Amps (Electric)
-------------------------	---

Type	Gas
------	-----

BTU Rating	Electric: N/A, Gas: 20,000
------------	----------------------------

OPTIONS

LP Conversion Kit	383EEL3002D
-------------------	-------------

Side Venting Kit	3911EZ9131X (replaces 383EEL9001B)
------------------	------------------------------------

Drying Rack	3750EL1001A
-------------	-------------

Pedestal	WDP6B
----------	-------

Pedestal (WxHxD)	27" x 13 5/8" x 25 3/8" (43 7/8" D with door open)
------------------	--

DIMENSIONS

Product (WxHxD)	27" x 39" x 30 1/8"
-----------------	---------------------

Depth with Door Open	51 3/8"
----------------------	---------

Carton (WxHxD)	29 5/8" x 43 5/16" x 31 9/16"
----------------	-------------------------------

Weight (Product)	134.0 lbs
------------------	-----------

Weight (Carton)	145.7 lbs
-----------------	-----------

WARRANTY

Parts & Labor	1 Year
---------------	--------

Drum	3 Years
------	---------

UPC CODES

UPC	195174036983
-----	--------------
