



CLEAN TECHNOLOGY FOR CLEANER LAUNDRY

4.5 Cu. Ft. Top Load Agitator Washer

MLV45N1BWW White

The Midea Top Load Washer features a large, 4.5 Cu. Ft. capacity and 10 pre-set cycles including extra rinse and soak options, a stainless-steel tub and a look-through lid.

Two-Stage Dispenser

Normal detergent amount is released in 2 stages to boost cleaning power and reduce odor.

Soft Close Glass Lid

Lets you view your wash without interrupting the cycle. Slam-proof hinge delivers smooth, soft lid closing.

Electronic Controls

Sleek, modern electronic controls provide cycle status at a glance.

Stainless Steel Tub

Durable stainless steel tub is built to last.

Water Plus

Maximizes the water level used during the wash cycle to ensure all items are thoroughly soaked.

10 Pre-set Cycles

A variety of pre-sets lets you match the cycle to the garments you're washing: Normal, Delicate, Heavy Duty, Active Wear, Whites, Rinse and Spin, Bulky Items, Tub Clean, Quick Wash, and Spin Only.

4.5 Cu. Ft. Top Load Agitator Washer

Model MLV45N1BWW

SPECIFICATIONS

Models	MLV45N1BWW	
UPC	810004818897	
PERFORMANCE		
DOE	Yes	
ENERGY STAR®	-	
IMEF (cu. ft./kWh/cycle)	1.57	
IWF (gallons/cycle/cu. ft.)	6.5	
Max Spin Speed (RPM)	700	
Vibration Reduction	Friction suspension	
UL Certification	Yes	
FEATURES		
Capacity (cu. ft.)	4.5	
No. of Cycles	10 (Normal, Delicate, Heavy Duty, Active Wear, Whites, Rinse & Spin, Bulky Items, Tub Clean, Quick Wash, Spin Only)	
No. of Options	8 (Delay, Control Lock, Soak, Extra Rinse, Fabric Softener, Water Plus, My Cycle, Signal)	
Automatic Temperature Control	Yes	
Automatic Load Sensing	Yes	
No. of Soil Levels	5 (Extra Heavy, Heavy, Medium, Light, Extra Light)	
No. of Temperature Selections	5 (Hot, Warm, Eco Warm, Cold, Tap, Cold)	
No. of Spin Speeds	5 (Extra High, High, Medium, Low, No Spin)	
Detergent Dispenser	Yes (Detergent, Bleach, Softener)	
Dual Stage Dispenser	Yes	
Delay Start	Yes	
Child Lock	Yes	
Water Plus	Yes	
Extra Rinse	Yes	
Soak	Yes	
Safe Shut Lid	Yes	
Time-Remaining Display	Yes	
End-Of-Cycle Signal	Yes	
ELECTRICAL		
Power Supply	120V/60hz	
Amperage (A)	10	
Voltage (V)	120	
UL Listed	Yes	
Power Cord Included	Yes	
PHYSICAL ATTRIBUTES		
Tub/Drum Material	Stainless Steel	
Included Accessories	Drain Hose, Hose Holder, Hose Clamp, Filter & Screw	
Control Panel	Touch / White	
Lid / Trim	Glass / White	
Color	White	
Dimensions (W*D*H)	in	27 x 29 x 45.7
	cm	68.6 x 73.7 x 116.1
Warranty	Parts & Labor, 1 Year	


4.5 Cu. Ft Top Load Washer & 7.5 Cu. Ft. Dryer

Models MLV45N1BWW, MLE45N1BWW, MLG45N1BWW,
MLV45N3BWW, MLE45N3BWW, MLG45N3BWW

Alcove or Closet or Wall Insert/Recessed Installations

Minimum clearances between the unit and adjacent walls or other surfaces:

Sides (in / cm)	1 / 2.5	Rear (in / cm)	6 / 15.2
Top (in / cm)	24 / 61	Closet Front (in / cm)	2 / 5.1
Gap between the end of water valve and the wall (in / cm)		Case 1: If you connect the supply hose after you install your washer: Over 3.9 in. (10 cm) Case 2: If you connect the supply hose before you install your washer: Over 2.8 in. (7 cm)	



WARNING

- The dryer must be exhausted to the outside to reduce risk of fire when installed any place inside the house.
- No other fuel-burning appliance should be installed in the same closet as the dryer.