

Panel

Diagonal Size	24
Type	IPS
Resolution	1920*1080 (Full HD)
Pixel Pitch(mm)	0.2745 x 0.2745 mm
Active Display Area(mm)	527.04(H) x 296.46(V) mm
Brightness(Typ.)	1500 nit
Contrast Ratio	1000:1
Viewing Angle(H/V)	N/A
Response Time(G-to-G)	N/A
Color Gamut	72%
Operation Hour	24/7
Haze	0%

Connectivity

Input	
Video	HDMI 2.0
HDCP	HDCP2.2
USB	USB 2.0 x 2
Output	
Audio	Stereo mini Jack
External Control	RS232C(in), RJ45
BT/WiFi	BT (In-box Accessory) / External WiFi

Power

Power Supply	AC 100 - 240 V, 50/60 Hz
Power Consumption	
Max[W/h]	90 W/h
Typical[W/h]	70W ※ IEC 62087 measurement standard
Sleep mode	0.5W

Mechanical Specification

Dimension (mm)	
Set	573.0 x 342.4 x 59.8 mm
Package	730.0 x 438.0 x 140.0 mm
Weight (kg)	

Set	8.4 kg
Package	10 kg
VESA Mount (mm)	100 x 100
VESA Mount Screw (Min~Max)	M4, 4~6
Bezel Width (mm)	21.9 mm

Operation

Operating Temperature	-30 °C ~ 50 °C	Humidity	10 % ~ 100 % (Non-condensing)
------------------------------	----------------	-----------------	-------------------------------

Feature

Key Features	Power-box Integrated, IP66, IK-10, Built-in MagicInfo Player S10, SSSP 10.0, External WiFi/BT	
Orientation	Landscape / Portrait	
Remote Control	N/A	
Special Features	H/W : IP66, IK-10, Polarized Sunglasses viewable, Brightness Sensor, Temperature Sensor, Kensington Lock, 3T Chemical Strengthening Tempered Glass / S/W : Auto Source Switching & Recovery RJ45 MDC, MS365, Vmware, Google Meet, VXPlayer	
Internal Player	Processor	Cortex A72 1.7GHz Quad-Core CPU
	On-Chip Cache Memory	N/A
	Clock Speed	N/A
	Main Memory Interface	N/A
	Graphics	N/A
	Storage (FDM)	8GB (3.88GB Occupied by O/S, 4.12GB Available)
	Multimedia	N/A
	IO Ports	N/A
	Operating System	Tizen 6.5 (VDLinux)

Certification

Safety	60950-1, 62368-1
EMC	Class A
IP Rating	IP66

Accessory

Included	Quick Setup Guide, Warranty Card, Power Cord, Remote Controller + Batteries, External WiFi/BT
Optional	
Stand	N/A
Mount	Sold Separately
Specialty	N/A

Media Player

Media Player	N/A
---------------------	-----