

androidtv

# BRAVIA Professional Displays

2022 Model Catalog



BRAVIA



Cognitive Processor



# Outstanding picture quality & detailed reproduction for business



Harness the power of rich media content for your organization with BRAVIA Professional Displays.

# $and roid {\rm tv}$





### Cognitive Processor XR™

# World's first processor with Cognitive Intelligence

Our BRAVIA XR Display takes vision and sound to the next level with the ingenious Cognitive Processor XR. It understands how humans see and hear, providing a whole new experience that immerses you completely in the scene.

#### 4K HDR Processor X1™

### One chip, incredibly real





With Object-based HDR remaster and Super Bit Mapping 4K HDR technology, our new 4K HDR Processor X1 reproduces more depth, textures and natural colors than Sony's entry level 4K Processor X1. You'll see pure colors at higher brightness levels for exceptionally realistic pictures.

#### Cognitive Processor XR™

#### **X R** Color

A wide palette of naturally beautiful colors

See colors that are natural and beautiful to the human eye. The Cognitive Processor XR enables our unique display to access a wider palette and reproduce each color with the subtle differences seen in the real world. With extended hue and saturation, vivid shades and realistic texture can be seen.

#### **X R** Clarity

#### Recreating lost texture, the intelligent way

Whatever the content or source, you'll clearly see them close to 4K resolution with XR 4K Upscaling. Our Cognitive Processor XR accesses a vast amount of data, intelligently recreating lost textures and detail for real world pictures.



Intelligent motion processing for fast-moving, blur-free scenes

Watching fast-moving videos just got a whole lot better. Our Cognitive Processor XR with XR Motion Clarity™ cross analyses data to ensure motion stays smooth, bright, and clear with no blur. Real life depth with deep blacks and intense brightness

Feel breathtaking contrast, just as in real life. Our Cognitive Processor XR cross analyzes data, enhancing pictures in the same way that the human eye focuses for real life color and depth. With XR Contrast Booster, bright areas are brighter and dark areas darker -eliminating details overwhelmed by shadow or lost in blown-out highlights.

#### 4K HDR Processor X1™

#### Picture

Unique 4K X-Reality PRO picture processing technology upscales every pixel for remarkable clarity. Advanced noise reduction techniques and a special pattern database ensure every scene is full of lifelike detail.

#### Contrast

Imagine seeing a white object in a dark environment on your display: on an edge-lit or direct-lit display, you would sacrifice the brightness of the object for a darker background (or vice versa), and the background would likely appear blue or grey. On a Sony Full Array LED display with local dimming, you get a beautiful, natural picture with crisp brightness and an authentically dark background.



#### Color

By widening the color spectrum, TRILUMINOS powered by our X1 processors reproduces more colors than a conventional display. It analyzes and processes data in every image to make colors even more natural and precise so pictures are closer than ever to real life.

#### Clarity

On some screens, sports and fast-action scenes can seem to go by in a blur. Our latest X-Motion Clarity™ technology keeps everything smooth, bright, and clear. Each "blink" is individually controlled and its duration optimized, while brightness is boosted when needed, so you won't miss a thing.

# Expanding the possibility of your business with the full lineup of BRAVIA Professional Displays

In sizes ranging from 32" to 100", our lineup provides flexible options to match virtually any business application, in any environment.



Sony's largest professional display model with supreme picture quality features

# 100″

The 100" BZ40J delivers supreme picture quality, high contrast, and more detail for large-sized digital signage and meeting rooms.



Features for professional use



Professional features let you disable input or remote control, remove labels and block buttons; customize and store display settings and features, add security then copy them easily from display to display via USB flash memory.



Flexible content layout with HTML5

The BZ Series offers built-in support for the HTML5 application platform, so it's possible to use HTML5 interactive signage content without requiring a set-top box or PC. The content screen can be freely laid out using the 4K video, pictures, or even with the HDMI input.





Small, high picture quality 32" 4K display model

Small in size, but big in picture quality for meeting content details even in huddle space environments with 32" BZ30J



### **Professional design**

#### Logo position for public installation

The Sony logo is on the top-right side of the bezel, creating clean-framed landscape and portrait digital signage installations.



**Cable management** Neatly bundles the power cable, HDMI and

other cables with a cable clamper

Four-sided uniform bezel for portrait installation

\* for BZ40J only

Ideal for digital signage applications

**Carrying handle** \* for BZ40J only







32" AC adapter holder

Smart installation by adapter holder even in limited space \* for BZ30J only



#### IP network and serial communication controls

The BZ Series is controllable both via IP network (wired/wireless LAN) and RS-232C. This makes it possible to incorporate the displays into a variety of existing systems, such as in offices and as eye-catching signage.

#### Wi-Fi 5GHz / Apple AirPlay & Chromecast built-in™

Discover a new world of possibilities with enhanced BRAVIA functionality. Easily mirror content onto your BRAVIA Pro Display using Apple AirPlay or Chromecast built-in, and take advantage of Wi-Fi 5GHz WAP connectivity.





#### **BZ40**J Features —

100″

#### androidtv



#### **Cognitive Processor XR™**

The BZ40J incorporates the Cognitive Processor XR that uses human perspective analysis to cross analyze thousands of elements at one to create an intensely immersive picture.











details



display takes 2K signals close to true 4K quality

for incredibly real and immersive viewing. XR

4K Upscaling accesses and utilizes a vast

patterns in scenes and recreating subtle

**XR Contrast Booster** By precisely balancing light output across the

screen, dimming some areas and boosting others, the XR Contrast Booster adjusts

brightness for higher peaks in glare and

amount of data, analyzing



#### **XR Trilluminos Pro**

Powered by our Cognitive Processor XR, this display reproduces color it in a way that humans find beautiful. See a wider palette of colors with an enhanced range of hue and saturation, allowing natural shades and precise details to be seen, even in dark scenes.

#### **XR Motion Clarity**<sup>™</sup>

On some screens, fast-moving scenes can seem to go by in a blur. Our latest LED XR X-Motion Clarity technology keeps everything smooth, bright and clear. Each frame is individually controlled and its duration optimized, while brightness is boosted when needed, so you won't miss a thing.





### 24/7.Portrait.Tilt

















# BZ40H Features -

androidtv



85″

75″

65″

55″

#### Full Array LED

Brighter highlights and deeper blacks

Multiple LED zoning allows Full Array display models to adjust and create contrast depending on the scene, resulting in more light where brightness is needed, and less light where darkness is needed.



#### **Cosmetic design**





Logo position

All side terminal position

Flat bottom bezel

#### 24/7·Portrait·Tilt



#### androidtv

- 50" 43"

BZ35J

Features -





#### **Picture quality features**



**4K** X-Reality №





#### **Motionflow XR**

Less blur, even in fast scenes

On some screens, sports and fast action scenes go by in a blur. Our Motionflow technology keeps movement smooth and clear by creating extra images between images and black images between scenes. The result? Less blur and afterimage, more flowing motion.



#### **Cosmetic design**





Logo position

All side terminal position

Flat bottom bezel

#### 24/7·Portrait·Tilt





Features

androidtv











#### **Color reproduction**

Our displays with a wide color gamut and unique TRILUMINOS PRO™ algorithm can detect color from saturation, hue and brightness to reproduce natural shades in every detail. You'll enjoy colors that are closer to those seen in the real world.



#### **Cosmetic design**





Logo position

All side terminal position

75"-43" Flat bottom bezel

#### 24/7.Portrait.Tilt



# **BZ-series Specifications**

#### High-end line

|   |   | FW-100BZ40J  | FW-85BZ40H  | FW-75BZ40H   | FW-65BZ40H   | FW-55BZ40H   | FW-50BZ35J   | FW-43BZ35  |  |  |
|---|---|--|---|--|--|--|--|--|--|--|
|   | Screen Size   | 100"   | 85"   | 75"  | 65"  | 55"  | 50"  | 43"  |  |  |
|   | Brightness (cd/m <sup>2</sup> )   | Typ. 600 / Peak 940  |   | Typ. 620 /   | Peak 850   |  | 570  | 560  |  |  |
|   | Native contrast ratio   | 9,000:1  | 4,000:1   |  | 6,000:1  |  | 5,000:1  | 4,000:1  |  |  |
| General<br>features   | Dynamic contrast ratio  | 600,000:1  | 6000  | 000:1  | 5500   | 000:1  | 500,000:1  | 400,000:1  |  |  |
|   | Response Time (ms)  | 7  | 6   |  | 8  |  | (  | 5  |  |  |
|   | Display resolution (H x V, pixels)  |  |   |  |  |  |  |  |  |  |
|   | HDR (High Dynamic Range) compatibility  | 3,840 x 2,160<br>Yes (HDR10,HLG,Dolby Vision)  |   |  |  |  |  |  |  |  |
|   |   |  |   | 16.  |  | 1011)  |  |  |  |  |
|   | Aspect Ratio  |  |   |  | 16:9   |  |  |  |  |  |
|   | Portrait/Tilt Compatibility*2   |  |   |  | Yes  |  | 1  |  |  |  |
|   | Dimming type  |  |   | Local Dimming  |  |  | Frame D  | imming   |  |  |
|   | Display device  |  |   |  | LCD  |  |  |  |  |  |
| Display<br>features   | Backlight type  |  |   |  | Direct (Full Array LED)  |  |  |  |  |  |
|   | 4K Processor  | Cognitive Processor XR   |   |  | 4K HDR Pr  | ocessor X1   |  |  |  |  |
|   | Operation time  |  |   |  | 24/7   |  |  |  |  |  |
|   | Wide Mode   | Wide Zoom/Normal/Full/Zoom   |   | Auto/Wide Zoom/  | Normal/Full/Zoom   |  | Wide Zoom / Nor  | mal / Full / Zoom  |  |  |
|   | 4:3 Default   |  |   |  | Yes  |  |  |  |  |  |
|   |   | VR 4K Upscaling  |   |  | 4K X-Rei   |  |  |  |  |  |
|   | Video Processing  | XR 4K Upscaling  |   |  |  | anty PRO   |  |  |  |  |
|   | Motion enhancer   | XR Motion Clarity, Auto mode   |   | X-Motion Clari   |  |  | Motionflow XR 960Hz (N   |  |  |  |
| Video Specs   | TRILUMINOS Display  | XR Triluminos Pro  |   | TRILUMINO  | OS DISPLAY   |  | TRILUMI  | NOS PRO  |  |  |
| video specs   | Viewing Angle (Right/Left)  |  |   |  | 178 (89/89) degree   |  |  |  |  |  |
|   | Viewing Angle (Up/Down)   |  |   |  | 178 (89/89) degree   |  |  |  |  |  |
|   |   | 4096x2160p(24, 60Hz),  |   |  |  |  |  |  |  |  |
|   | HDMI Signal   | 3840x2160p(24,30,60,120Hz),<br>1080p(30,60,120Hz),<br>1080/24p,1080i(60Hz),                                  |   | 24,60Hz), 3840x2160p (2<br>0/24p, 1080i (60Hz), 720  |  |  | 4096x2160p (24, 60Hz), 384<br>1080p (30, 60, 1<br>1080i (60Hz), 720p (30   |  |  |  |
|   | Speaker Position  | 720p(30,60Hz),720/24p,480p<br>Down Firing  |   | Sido Back +  | Down Firing  |  |  |  |  |  |
| Audio Specs   | Speaker Position  | Down Finng   | l   | Side Back +  | Down Firing  |  | Dowr   | n Firing   |  |  |
|   | Audio Power Output  |  |   |  | 10W + 10W  |  |  |  |  |  |
|   | Professional Hidden mode  | Pro Mode   |   |  |  |  |  |  |  |  |
|   | HDMI auto wake-up   |  |   |  | Yes  |  |  |  |  |  |
| Professional  | HTML5 platform  |  |   |  | Yes  |  |  |  |  |  |
| features  | Multicast/IPTV  |  |   |  | Yes  |  |  |  |  |  |
|   | Operating System*2  |  |   |  | Android 10   |  |  |  |  |  |
|   |   |  |   |  | 16GB*3   |  |  |  |  |  |
|   | On-board Storage (GB)   | 16GB*3   |   |  |  |  |  |  |  |  |
|   | On-board Storage (GB)   |  |   |  | Vor  |  |  |  |  |  |
| Natwork Space   | Wi-Fi Direct  |  |   |  | Yes  |  |  |  |  |  |
| Network Specs   |   |  |   | PEG2PS:MPEG2 / MPEG2<br>eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:  |  |  |  |  |  |
| Convenience   | Wi-Fi Direct<br>Wi-Fi Certified<br>Wireless LAN   |  | AVI:Xvid, MotionJpe   |  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>IV:AVC, MPEG4, Motior   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
|   | Wi-Fi Direct<br>Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>VV:AVC, MPEG4, Motior<br>MP3 / ASF(WMA) / LPC   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience   | Wi-Fi Direct<br>Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs<br>On Screen Clock   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>IV:AVC, MPEG4, Motior   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience   | Wi-Fi Direct<br>Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>VV:AVC, MPEG4, Motior<br>MP3 / ASF(WMA) / LPC   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience   | Wi-Fi Direct<br>Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs<br>On Screen Clock   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG;<br>VV:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes  | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience   | Wi-Fi Direct<br>Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs<br>On Screen Clock<br>Sleep Timer  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG<br>DV:AVC, MPEG4, Motior<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG;<br>DV:AVC, MPEG4, Motior<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes   | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG4<br>VV:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes  | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC   | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>VV:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)  | Jpeg / MKV:Xvid, AVC, N  | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>leatures   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDMI-CEC  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>VV:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>VV:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (side)<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM11/2/3/  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDM-CEC         HDCP         Composite Video Input (s)  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG;<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDMI1/2/3/<br>1 (Side, Mini jack)  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>VV:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (side)<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM11/2/3/  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDM-CEC         HDCP         Composite Video Input (s)  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG;<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDMI1/2/3/<br>1 (Side, Mini jack)  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>ItS(HDV, AVCHD):MPEG,<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDMI1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDDH-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>OCP2.3 (for HDMI1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversio<br>1 (Side)   | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDMCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)  |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Its(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1(Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1(Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)   | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>1 (Side)   | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | MPEG4, VP8.HEVC /  |  |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color   |  | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | иРЕG4, VP8.HEVC /<br>.AC / JPEG  |  |  |  |
| Convenience<br>features Control Specs Inputs and outputs Design                                     | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDML         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethermet inputs         Frame color         Stand Design  | Slim Blade Stand   | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Its(HDV, AVCHD):MPEG:<br>)V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversio<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand   | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | иРЕG4, VP8.HEVC /<br>.AC / JPEG  | de Stand   |  |  |
| Convenience<br>features<br>Control Specs  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible  |  | AVI:Xvid, MotionJpd<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG;<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1(Side)<br>Yes<br>1(Side)<br>Yes<br>DCP2.3 (for HDM11/2/3/<br>1(Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | IVPEG4, VP8.HEVC /<br>.AC / JPEG   |  |  |  |
| Convenience<br>reatures   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)   | Slim Blade Stand   | AVI:Xvid, MotionJpe   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Its(HDV, AVCHD):MPEG:<br>)V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversio<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand   | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | IVPEG4, VP8.HEVC /<br>.AC / JPEG   | de Stand   |  |  |
| Convenience<br>eatures  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDM-CEC         HDM inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Output (s)         USB ports         Ethermet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer  |  | AVI:Xvid, MotionJpd<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG;<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1(Side)<br>Yes<br>1(Side)<br>Yes<br>DCP2.3 (for HDM11/2/3/<br>1(Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)   | IVPEG4, VP8.HEVC /<br>.AC / JPEG   |  |  |  |
| Convenience<br>eatures  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)   | 600 x 400 mm<br>253 cm   | AVI:Xvid, MotionJpr<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>A (4Side)<br>Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)<br>139.0 cm   | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>   | 00 mm<br>108 cm  |  |  |
| Convenience<br>reatures   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethermet inputs         Frame color         Stand Design         VESA* Hole Spacing Compatible         VESA* Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption   | 600 x 400 mm   | AVI:Xvid, MotionJpd<br>WEBM:VF  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm<br>214W  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)   | VPEG4, VP8.HEVC /<br>.AC / JPEG  | 00 mm  |  |  |
| Convenience<br>reatures   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)   | 600 x 400 mm<br>253 cm   | AVI:Xvid, MotionJpr<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>IS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>3 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>3 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>1 (Side)<br>2 (S | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)<br>139.0 cm   | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>   | 00 mm<br>108 cm  |  |  |
| Convenience<br>reatures   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethermet inputs         Frame color         Stand Design         VESA* Hole Spacing Compatible         VESA* Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption   | 600 x 400 mm<br>253 cm   | AVI:Xvid, MotionJpr<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>DCP2.3 (for HDM1/2/3/<br>1 (Side)<br>Yes<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm<br>214W  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)<br>139.0 cm   | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>   | 00 mm<br>108 cm  |  |  |
| Convenience<br>features Control Specs Control Specs Inputs and Dutputs Design features Environment  | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)   | 600 x 400 mm<br>253 cm   | AVI:Xvid, MotionJpr<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>IS(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>3 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>3 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>1 (Side)<br>2 (S | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)<br>139.0 cm   | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>   | 00 mm<br>108 cm  |  |  |
| Convenience   | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control  | 600 x 400 mm<br>253 cm   | AVI:Xvid, MotionJpr<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>  | Yes<br>Integrated<br>Integrated<br>Its(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>OCP2.3 (for HDMI1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversio<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm<br>214W<br>0.5 W<br>Yes  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)<br>139.0 cm   | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>   | 00 mm<br>108 cm<br>114 W   |  |  |
| Convenience<br>features Control Specs Inputs and outputs Design features Environment                | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI cEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethermet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control         Power Saving Mode / Back Light Off Mode   | 600 x 400 mm<br>253 cm<br>426 W  | AVI:Xvid, MotionJpd<br>WEBM:VP  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>HI<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11                    | Yes<br>Integrated<br>Integrated<br>Its(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>OCP2.3 (for HDMI1/2/3/<br>1 (Side, Mini jack)<br>4 (4Side)<br>(Side Analog Conversion<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm<br>214W<br>0.5 W<br>Yes<br>Yes  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>n)<br>139.0 cm<br>173W   | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>   | 00 mm<br>108 cm<br>114 W<br>964 x 563 x 69 m   |  |  |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment<br>specs | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         Digital Audio Output (s)         USB ports         Ethermet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control         Power Saving Mode / Back Light Off Mode         Dimension of TV without Stand (W x H x D)  | 600 x 400 mm<br>253 cm<br>426 W<br>2,260 x 1,297 x 98 mm   | AVI:Xvid, MotionJpr<br>WEBM:VP<br>  | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>HI<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11                    | Yes<br>Integrated<br>Integrated<br>TS(HDV, AVCHD):MPEG:<br>W:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side)<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side)<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side)<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm<br>214W<br>0.5 W<br>Yes<br>Yes<br>1,450 x 833 x 70 mm  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>1)<br>139.0 cm<br>173W<br>1,231 x 710 x 70 mm  | VIPEG4, VP8.HEVC /<br>.AC / JPEG   | 00 mm<br>108 cm  |  |  |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment<br>specs | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Nutput (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control         Power Saving Mode / Back Light Off Mode         Dimension of TV without Stand (W x H x D)  | 600 x 400 mm<br>253 cm<br>426 W<br>2,260 x 1,297 x 98 mm<br>2,260 x 1,346 x 475 mm                           | AVI:Xvid, MotionJpd<br>WEBM:VP<br>400 x 400 mm<br>215.0 cm<br>318W<br>1,899 x 1,089 x 72 mm<br>1,899 x 1,162 x 441 mm | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>8 / 3GPP:MPEG4, AVC /<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11 | Yes<br>Integrated<br>Integrated<br>Is(HDV, AVCHD):MPEG:<br>V:AVC, MPEG4, Motion<br>MP3 / ASF(WMA) / LPC<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>Yes<br>1 (Side)<br>Yes<br>OCP2.3 (for HDM11/2/3/<br>1 (Side, Mini Jack)<br>4 (4Side)<br>(Side Analog Conversio<br>1 (Side)<br>2 (Side)<br>1 (Side)<br>Black<br>de Stand<br>Yes<br>300 x 300 mm<br>164.0 cm<br>214W<br>0.5 W<br>Yes<br>Yes<br>1,450 x 833 x 70 mm<br>1,450 x 903 x 338 mm  | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>139.0 cm<br>173W<br>1,231 x 710 x 70 mm<br>1,231 x 780 x 338 mm  | VIPEG4, VP8.HEVC /<br>.AC / JPEG<br>Slim Bla<br>200 x 2<br>126 cm<br>148 W<br>1,119 x 649 x 70 mm<br>1,119 x 715 x 286 mm                          | 00 mm<br>108 cm<br>114 W<br>964 x 563 x 69 m<br>964 x 628 x 286 n                        |  |  |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment<br>specs | Wi-Fi Direct         Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Uutput (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Stand Design         VESA® Hole Stand Design         VESA® Hole Stand Design         VESA® Hole Stand Design         Vesaware Consumption         Power Consumption (in Standby)         Dynamic Backlight Control         Power Saving Mode / Back Light Off Mode         Dimension of TV with Stand (W x H x D)         Dimension of TV with Stand (W x H x D)         Dimension of Package Carton (W x H x D) | 600 x 400 mm<br>253 cm<br>426 W<br>2,260 x 1,297 x 98 mm<br>2,260 x 1,346 x 475 mm<br>2,440 x 1,558 x 378 mm | AVI:Xvid, MotionJpd<br>WEBM:VP<br>WEBM:VP   | eg / ASF(WMV):VC1 / MC<br>8 / 3GPP:MPEG4, AVC /<br>8 / 3GPP:MPEG4, AVC /<br>HI<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>11<br>1              | Yes<br>Integrated<br>Integrated<br>Istegrated<br>Istegrated<br>Integrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegrated<br>Istegra   | Jpeg / MKV:Xvid, AVC, N<br>M / WAV / MP4AAC / FL<br>4)<br>139.0 cm<br>173W<br>1,231 x 710 x 70 mm<br>1,231 x 710 x 70 mm<br>1,231 x 780 x 338 mm<br>1,348 x 833 x 160 mm | VIPEG4, VP8, HEVC /<br>.AC / JPEG<br>Slim Bla<br>200 x 2<br>126 cm<br>148 W<br>1,119 x 649 x 70 mm<br>1,119 x 715 x 286 mm<br>1,225 x 782 x 141 mm | 00 mm<br>108 cm<br>114 W<br>964 x 563 x 69 m<br>964 x 628 x 286 n<br>1,070 x 695 x 141 n |  |  |

# **BZ-series Specifications**

#### Standard line

|  |  | FW-75BZ30J   | FW-65BZ30J   | FW-55BZ30J  | FW-50BZ30J  | FW-43BZ30J  | FW-32BZ30.  |
|--|--|--|--|---|---|---|---|
|  | Screen Size  | 75"  | 65"  | 55"   | 50"   | 43"   | 32"   |
| General<br>features  | Brightness (cd/m <sup>2</sup> )  |  |  | 440   |   |   | 300   |
|  | Native contrast ratio  |  | 1,200:1  |   | 5,000:1   | 1,200:1   | 3,000:1   |
|  | Dynamic contrast ratio   |  | .,===  | 300,000:1   | -,  | .,  | 260,000:1   |
|  |  | 1'   | 1  |   | 0   |   |   |
|  | Response Time (ms)   | T  | 1  | 10  | 9   | 10  | )   |
|  | Display resolution (H x V, pixels)   |  |  | 3,840 :   | x 2,160   |   |   |
|  | HDR (High Dynamic Range) compatiblity  |  |  | Yes (HDR10, HL  | G, Dolby Vision)  |   |   |
|  | Aspect Ratio   |  |  | 16  | :9  |   |   |
|  | Portrait/Tilt Compatibility*1  |  |  | Ye  | 25  |   |   |
|  | Dimming type   |  |  | Frame D   |   |   |   |
|  |  |  |  | LC  |   |   |   |
| Di ul  | Display device   |  |  |   | .0  |   |   |
| Display<br>features  | Backlight type   |  |  | Direct LED  |   |   | Edge LED  |
| iculuies   | 4K Processor   |  |  | 4K HDR Pr   | ocessor X1  |   |   |
|  | Operation time   |  |  | 24  | /7  |   |   |
|  | Wide Mode  |  |  | Wide Zoom / Nor   | mal / Full / Zoom   |   |   |
|  | 4:3 Default  |  |  | Ye  | es  |   |   |
|  | Video Processing   |  |  | 4K X-Rea  | ality PRO   |   |   |
|  |  |  |  | Motionflow XR 240Hz (N  |   |   |   |
|  | Motion enhancer  |  |  |   |   |   |   |
| Video Specs  | TRILUMINOS Display   |  |  | TRILUMI   |   |   |   |
|  | Viewing Angle (Right/Left)   |  |  | 178 (89/8   | 9) degree   |   |   |
|  | Viewing Angle (Up/Down)  |  |  | 178 (89/8   | 9) degree   |   |   |
|  | HDMI Signal  |  |  | 2160p (24, 60Hz), 3840x2160<br>1080/24p, 1080i (60Hz), 720  |   |   |   |
|  | Speaker Position   |  |  | Down  |   |   |   |
| Audio Specs  |  |  |  | 10W + 10W   |   |   | 5W + 5W   |
|  | Audio Power Output   |  |  |   |   |   | JVC + VVC   |
|  | Professional Hidden mode   |  |  | Pro N   |   |   |   |
|  | HDMI auto wake-up  |  |  | Ye  | es  |   |   |
| Professional   | HTML5 platform   |  |  | Ye  | 25  |   |   |
| features   | Multicast/IPTV   |  |  | Ye  | es  |   |   |
|  | Operating System*2   |  |  | Andro   | pid 10  |   |   |
|  |  |  |  | 16G   |   |   |   |
|  | On-board Storage (GB)  |  |  |   |   |   |   |
|  |  |  |  |   |   |   |   |
|  | Wi-Fi Direct   |  |  | Ye  |   |   |   |
| Network Specs  | Wi-Fi Direct<br>Wi-Fi Certified  |  |  | Ye  |   |   |   |
| Network Specs  |  |  |  |   | es<br>rated<br>THD):MPEG2, AVC / MP4(XA   |   |   |
| Convenience  | Wi-Fi Certified<br>Wireless LAN  |  | AVI:Xvid, MotionJpeg / ASF   | Yı<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVG   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xvia   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs   |  | AVI:Xvid, MotionJpeg / ASF   | Yı<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPE   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xvia   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified<br>Wireless LAN  |  | AVI:Xvid, MotionJpeg / ASF   | Yı<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPE   | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>EG4, MotionIpeg / MKV:Xvii<br>WMA) / LPCM / WAV / MP4  | d, AVC, MPEG4, VP8.HEVC /   |   |
|  | Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs   |  | AVI:Xvid, MotionJpeg / ASF   | Yı<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVG<br>(WMV):VC1 / MOV:AVC, MPG<br>P:MPEG4, AVC / MP3 / ASF()   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>EG4, MotionIpeg / MKV:Xvir<br>WMA) / LPCM / WAV / MP4<br>25  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs<br>On Screen Clock  |  | AVI:Xvid, MotionJpeg / ASF   | Yı<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVG<br>(WMV):VC1 / MOV:AVC, MPI<br>P:MPEG4, AVC / MP3 / ASF(V<br>Yı   | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xviu<br>WMA) / LPCM / WAV / MP4<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs<br>On Screen Clock<br>Sleep Timer<br>On/Off Timer   |  | AVI:Xvid, MotionJpeg / ASF   | YA<br>Integ<br>WPEG2 / MPEG2TS(HDV, AVG<br>(WMV):VC1 / MOV:AVC, MPE<br>P:MPEG4, AVC / MP3 / ASF(<br>YA<br>YA<br>YA<br>YA  | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xviu<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified<br>Wireless LAN<br>USB playback codecs<br>On Screen Clock<br>Sleep Timer<br>On/Off Timer<br>Chromecast built-in  |  | AVI:Xvid, MotionJpeg / ASF   | YA<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MP8<br>P:MPEG4, AVC / MP3 / ASF(<br>YA<br>YA<br>YA<br>YA<br>YA  | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xviu<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)  |  | AVI:Xvid, MotionJpeg / ASF   | Y<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MP4<br>P:MPEG4, AVC / MP3 / ASF(<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y<br>Y  | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xvii<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control   |  | AVI:Xvid, MotionJpeg / ASF   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, Motion/peg / MKV:Xvi<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es                                 | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control   |  | AVI:Xvid, MotionJpeg / ASF   | Y(<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y   | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>GG4, Motion/peg / MKV:XV<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDMI-CEC  |  | AVI:Xvid, MotionJpeg / ASF   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4   | es<br>rated<br>EHD):MPEG2, AVC / MP4(XA<br>GG4, Motion/peg / MKV:XV<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control   |  | AVI:Xvid, MotionJpeg / ASF   | Y(<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, MotionJpeg / MKV:XiV<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDMI-CEC  |  | AVI:Xvid, MotionJpeg / ASF   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>EG4, MotionIpeg / MKV:Xvii<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP  |  | AVI:Xvid, MotionJpeg / ASF   | Y(<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVG<br>(WMV):VC1 / MOV:AVC, MPI<br>P:MPEG4, AVC / MP3 / ASF(1<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(<br>Y(   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>G4, MotionJpeg / MKV:Xviu<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features<br>Control Specs   | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total  |  | AVI:Xvid, MotionJpeg / ASF   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>EG4, MotionJpeg / MKV:Xviu<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features<br>Control Specs   | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)   |  | AVI:Xvid, MotionJpeg / ASF   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPP<br>P:MPEG4, AVC / MP3 / ASF(<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, MotionIpeg / MKV:Xvi<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features<br>Control Specs   | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDM-CEC         HDCP         Composite Video Input (s)         HDM inputs total         Analog Audio Input (s)         Digital Audio Output (s)   |  | AVI:Xvid, MotionJpeg / ASF   | Yi<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>1(Side<br>HDCP2.3 (for)<br>1 (Side Analog<br>1 (Side Analog<br>1 (Side Analog<br>1 (Side Analog  | es rated THD):MPEG2, AVC / MP4(XA G4, Motion/peg / MKV:Xvi WMA) / LPCM / WAV / MP4 es   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features<br>Control Specs   | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Input (s)         USB ports   |  | AVI:Xvid, MotionJpeg / ASF   | Yi<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVG<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>HDCP2.3 (for 1<br>1 (Side, M<br>4 (45<br>1 (Side Analog<br>1 (Side Contegration)<br>1 (S | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>G4, Motion/peg / MKV:Xvi<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDM-CEC         HDCP         Composite Video Input (s)         HDM inputs total         Analog Audio Input (s)         Digital Audio Output (s)   |  | AVI:Xvid, MotionJpeg / ASF   | Yi<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>1(Side<br>HDCP2.3 (for)<br>1 (Side Analog<br>1 (Side Analog<br>1 (Side Analog<br>1 (Side Analog  | es rated THD):MPEG2, AVC / MP4(XA G4, Motion/peg / MKV:Xvi WMA) / LPCM / WAV / MP4 es   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features<br>Control Specs   | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Input (s)         USB ports   |  | AVI:Xvid, MotionJpeg / ASF   | Yi<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVG<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>Yi<br>HDCP2.3 (for 1<br>1 (Side, M<br>4 (45<br>1 (Side Analog<br>1 (Side Contegration)<br>1 (S | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, Motion/peg / MKV:VWW<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /   |   |
| Convenience<br>features Control Specs Inputs and outputs Design  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDM-CEC         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs   |  | AVI:Xvid, MotionJpeg / ASF   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF('<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, Motion/peg / MKV:VWW<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /   | Stand   |
| Convenience<br>features Control Specs Inputs and outputs Design  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDInjuta Sudi Inputs total         Analog Audio Input (s)         USB ports         Ethermet inputs         Frame color   | Slim Blade Stand   | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GPI  | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, MotionJpeg / MKV:XiV<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG  | Stand<br>Yes  |
| Convenience<br>features Control Specs Inputs and outputs Design  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232 Control         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible   |  | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>G4, MotionIpeg / MKV:Xvi<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG  | Yes   |
| Convenience<br>features Control Specs Inputs and outputs Design  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pitch (W x H)  | Slim Blade Stand<br>Yes  | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>GG4, MotionJpeg / MKV:XiV<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es   | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm  | Yes<br>100 x 200 mm   |
| Convenience<br>features Control Specs Inputs and outputs Design  | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDMI-CEC         HDMCP         Composite Video Input (s)         HDM Inputs total         Analog Audio Input (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer   | Slim Blade Stand   | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Y4<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPB<br>P:MPEG4, AVC / MP3 / ASF(<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4<br>Y4  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>G4, MotionIpeg / MKV:Xvi<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG  | Yes   |
| Convenience<br>features Control Specs Inputs and outputs Design features   | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPay (Internet required)         IP Control         RS-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)  | Slim Blade Stand<br>Yes  | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | VY<br>Integ<br>MPEG2 / MPEG2TS(HDV, AVC<br>(WMV):VC1 / MOV:AVC, MPP<br>P:MPEG4, AVC / MP3 / ASF(<br>YY<br>YY<br>YY<br>YY<br>(<br>YY<br>(<br>YY<br>YY<br>(<br>YY<br>(<br>YY<br>(   | es<br>rated<br>CHD):MPEG2, AVC / MP4(XA<br>G4, MotionJpeg / MKV:VWN<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm  | Yes<br>100 x 200 mm<br>80 cm  |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment                       | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDMI-CEC         HDCP         Composite Video Input (s)         HDMI-CEC         HDCP         Composite Video Input (s)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Rated Power Consumption  | Slim Blade Stand<br>Yes<br>189 cm<br>297 W   | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Y4           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPB           P:MPEG4, AVC / MP3 / ASF(N           Y4           Y5           Y4   | es<br>rated<br>(CHD):MPEG2, AVC / MP4(XA<br>G4, MotionJpeg / MKV:Xviv<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es  | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W   | Yes<br>100 x 200 mm<br>80 cm<br>66 W  |
| Convenience<br>features Control Specs Inputs and outputs Design features Environment                             | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232 Control         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pritch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)   | Slim Blade Stand<br>Yes  | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Yr           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPP           P:MPEG4, AVC / MP3 / ASF(           Yr           Yr      Yr <tr< td=""><td>es rated THD):MPEG2, AVC / MP4(XA G4, Motion/peg / MKV:Xvi WMA) / LPCM / WAV / MP4 es es</td><td>d, AVC, MPEG4, VP8.HEVC /<br/>AAC / FLAC / JPEG<br/>Slim Blade Stand<br/>Yes<br/>00 mm<br/>108 cm</td><td>Yes<br/>100 x 200 mm<br/>80 cm</td></tr<>  | es rated THD):MPEG2, AVC / MP4(XA G4, Motion/peg / MKV:Xvi WMA) / LPCM / WAV / MP4 es   | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm  | Yes<br>100 x 200 mm<br>80 cm  |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment                       | Wi-Fi Certified         Wireless LAN         USB playback codecs         USB playback codecs         Steep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control   | Slim Blade Stand<br>Yes<br>189 cm<br>297 W   | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Y4           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPB           P:MPEG4, AVC / MP3 / ASF(1)           Y4           Y4 <tr td="">           Y4</tr>   | es rated THD):MPEG2, AVC / MP4(XAP G4, Motion/peg / MKV:Xvi MMA) / LPCM / WAV / MP4 es  | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W   | Yes<br>100 x 200 mm<br>80 cm<br>66 W  |
|  |  |  |  |   |   |   |   |
| Convenience<br>features Control Specs Inputs and outputs Design features Environment                             | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232 Control         HDMI-CEC         HDMI inputs total         Analog Audio Input (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pritch (W x H)         Screen Size for WEB (diagonal, cm, integer or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)   | Slim Blade Stand<br>Yes<br>189 cm<br>297 W   | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Yr           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPP           P:MPEG4, AVC / MP3 / ASF(           Yr           Yr      Yr <tr< td=""><td>es rated THD):MPEG2, AVC / MP4(XAP G4, Motion/peg / MKV:Xvi MMA) / LPCM / WAV / MP4 es es</td><td>d, AVC, MPEG4, VP8.HEVC /<br/>AAC / FLAC / JPEG<br/>Slim Blade Stand<br/>Yes<br/>00 mm<br/>108 cm<br/>107 W</td><td>Yes<br/>100 x 200 mm<br/>80 cm<br/>66 W</td></tr<>  | es rated THD):MPEG2, AVC / MP4(XAP G4, Motion/peg / MKV:Xvi MMA) / LPCM / WAV / MP4 es  | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W   | Yes<br>100 x 200 mm<br>80 cm<br>66 W  |
| Convenience<br>features<br>Control Specs   | Wi-Fi Certified         Wireless LAN         USB playback codecs         USB playback codecs         Steep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control   | Slim Blade Stand<br>Yes<br>189 cm<br>297 W   | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Y4           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPB           P:MPEG4, AVC / MP3 / ASF(1)           Y4           Y4 <tr td="">           Y4</tr>   | es rated THD):MPEG2, AVC / MP4(XAP G4, Motion/peg / MKV:Xvi MMA) / LPCM / WAV / MP4 es  | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W   | Yes<br>100 x 200 mm<br>80 cm<br>66 W<br>0.5 W   |
|  |  |  |  |   |   |   |   |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment                       | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232 Control         HDMI-CEC         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Pritch (W x H)         Screen Size for WEB (Giagonal, cm, integer<br>or 1st decimal)         Rated Power Consumption         Power Consumption (in Standby)         Dynamic Backlight Control         Power Saving Mode / Back Light Off Mode   | Slim Blade Stand<br>Yes<br>189 cm<br>297 W<br>0.5 W  | AVI:Xvid, Motion/peg / ASF<br>WEBM:VP8 / 3GP   | Yr           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPP           P:MPEG4, AVC / MP3 / ASF(           Yr           Yr      Yr <tr< td=""><td>es rated THD):MPEG2, AVC / MP4(XA G4, Motion/peg / MKV:Xvi WMA) / LPCM / WAV / MP4 es es</td><td>d, AVC, MPEG4, VP8.HEVC /<br/>AAC / FLAC / JPEG<br/>Slim Blade Stand<br/>Yes<br/>00 mm<br/>108 cm<br/>107 W<br/>0.5 W</td><td>Yes<br/>100 x 200 mm<br/>80 cm<br/>66 W<br/>0.5 W<br/>726 x 430 x 76 m</td></tr<>  | es rated THD):MPEG2, AVC / MP4(XA G4, Motion/peg / MKV:Xvi WMA) / LPCM / WAV / MP4 es   | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W<br>0.5 W  | Yes<br>100 x 200 mm<br>80 cm<br>66 W<br>0.5 W<br>726 x 430 x 76 m   |
| Convenience<br>features Control Specs Inputs and outputs Design features Environment specs                       | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Power Consumption         Power Consumption (in Standby)         Dynamic BackLight Off Mode         Dimension of TV with Stand (W x H x D)         Dimension of Package Carton (W x H x D)   | Line and the stand of the stand | AVI: Xvid, Motion/peg / ASF<br>WEBM: VP8 / 3GP<br>Slim Blade Stand<br>Yes<br>300 x 300 mm<br>164 cm<br>230 W<br>0.5 W<br>1,462 x 842 x 71 mm<br>1,462 x 912 x 338 mm<br>1,588 x 965 x 184 mm | Y4           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPP           P:MPEG4, AVC / MP3 / ASF(1           Y4           Y4      Y4 </td <td>es<br/>rated<br/>CHD):MPEG2, AVC / MP4(XAP<br/>EG4, MotionIpeg / MKV:Xvik<br/>WMA) / LPCM / WAV / MP4<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es</td> <td>d, AVC, MPEG4, VP8.HEVC /<br/>AAC / FLAC / JPEG<br/>Slim Blade Stand<br/>Yes<br/>00 mm<br/>108 cm<br/>107 W<br/>0.5 W<br/>972 x 567 x 70 mm<br/>972 x 632 x 286 mm<br/>1,070 x 695 x 141 mm</td> <td>Yes<br/>100 x 200 mm<br/>80 cm<br/>66 W<br/>0.5 W<br/>726 x 430 x 76 m<br/>726 x 454 x 172 m<br/>814 x 551 x 152 m</td>  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XAP<br>EG4, MotionIpeg / MKV:Xvik<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W<br>0.5 W<br>972 x 567 x 70 mm<br>972 x 632 x 286 mm<br>1,070 x 695 x 141 mm | Yes<br>100 x 200 mm<br>80 cm<br>66 W<br>0.5 W<br>726 x 430 x 76 m<br>726 x 454 x 172 m<br>814 x 551 x 152 m |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment<br>specs Measurements | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDM: CEC         HDM: Inputs total         Analog Audio Input (s)         HDMI inputs total         Analog Audio Input (s)         USB ports         Ethernet inputs         Frame color         Stand Design         VESA® Hole Spacing Compatible         VESA® Hole Pritch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Pasted Power Consumption         Power Consumption (in Standby)         Dymanic Backlight Control         Power Saving Mode / Back Light Off Mode         Dimension of TV with Stand (W x H x D)         Dimension of Package Carton (W x H x D)         Weight of TV without Stand | Slim Blade Stand<br>Slim Blade Stand<br>Yes<br>189 cm<br>297 W<br>0.5 W<br>1,686 x 969 x 72 mm<br>1,686 x 1,045 x 410 mm   | AVI: Xvid, Motion/peg / ASF<br>WEBM: VP8 / 3GP<br>Slim Blade Stand<br>Yes<br>300 x 300 mm<br>164 cm<br>230 W<br>0.5 W<br>1,462 x 842 x 71 mm<br>1,462 x 912 x 338 mm                         | Y4           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPB           P:MPEG4, AVC / MP3 / ASF(1)           Y4           Y5           Slim Blade Stand           Y4           Y4           Y6           1243 x 719 x 71 mm           1,243 x 787 x 338 mm  | es<br>rated<br>(HD):MPEG2, AVC / MP4(XA<br>G4, Motion/peg / MKV:Xvi<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es    | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W<br>0.5 W<br>972 x 567 x 70 mm<br>972 x 632 x 286 mm                         | Yes<br>100 x 200 mm<br>80 cm<br>66 W  |
| Convenience<br>features Control Specs Inputs and<br>outputs Design<br>features Environment specs                 | Wi-Fi Certified         Wireless LAN         USB playback codecs         On Screen Clock         Sleep Timer         On/Off Timer         Chromecast built-in         Apple AirPlay (Internet required)         IP Control         R5-232C Control         HDCP         Composite Video Input (s)         HDMI inputs total         Analog Audio Input (s) (Total)         Digital Audio Output (s)         Frame color         Stand Design         VESA® Hole Pitch (W x H)         Screen Size for WEB (diagonal, cm, integer<br>or 1st decimal)         Power Consumption         Power Consumption (in Standby)         Dynamic BackLight Off Mode         Dimension of TV with Stand (W x H x D)         Dimension of Package Carton (W x H x D)   | Line and the stand of the stand | AVI: Xvid, Motion/peg / ASF<br>WEBM: VP8 / 3GP<br>Slim Blade Stand<br>Yes<br>300 x 300 mm<br>164 cm<br>230 W<br>0.5 W<br>1,462 x 842 x 71 mm<br>1,462 x 912 x 338 mm<br>1,588 x 965 x 184 mm | Y4           Integ           MPEG2 / MPEG2TS(HDV, AVC           (WMV):VC1 / MOV:AVC, MPP           P:MPEG4, AVC / MP3 / ASF(1           Y4           Y4      Y4 </td <td>es<br/>rated<br/>CHD):MPEG2, AVC / MP4(XAP<br/>EG4, MotionIpeg / MKV:Xvik<br/>WMA) / LPCM / WAV / MP4<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es<br/>es</td> <td>d, AVC, MPEG4, VP8.HEVC /<br/>AAC / FLAC / JPEG<br/>Slim Blade Stand<br/>Yes<br/>00 mm<br/>108 cm<br/>107 W<br/>0.5 W<br/>972 x 567 x 70 mm<br/>972 x 632 x 286 mm<br/>1,070 x 695 x 141 mm</td> <td>Yes<br/>100 x 200 mm<br/>80 cm<br/>66 W<br/>0.5 W<br/>726 x 430 x 76 m<br/>726 x 454 x 172 m<br/>814 x 551 x 152 m</td>  | es<br>rated<br>CHD):MPEG2, AVC / MP4(XAP<br>EG4, MotionIpeg / MKV:Xvik<br>WMA) / LPCM / WAV / MP4<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es<br>es | d, AVC, MPEG4, VP8.HEVC /<br>AAC / FLAC / JPEG<br>Slim Blade Stand<br>Yes<br>00 mm<br>108 cm<br>107 W<br>0.5 W<br>972 x 567 x 70 mm<br>972 x 632 x 286 mm<br>1,070 x 695 x 141 mm | Yes<br>100 x 200 mm<br>80 cm<br>66 W<br>0.5 W<br>726 x 430 x 76 m<br>726 x 454 x 172 m<br>814 x 551 x 152 m |

\*1 Please refer "Wall-Mount Installation Manual" for condition details \*2 As of June, 2021 \*3 The actual capacity available to the user will vary depending on OS and installed software requirements. Google, Google Play, Android TV, Chromecast built-in and other marks are trademarks of Google LLC.

# BRAVIA Professional Alliance Partners

Discover how we work closely with top companies to add even more value to our industry-leading AV products and solutions. Our BRAVIA Professional Displays support a growing ecosystem of compatible technologies from established and emerging solution providers.

Whether it's configuring a digital signage network, connecting participants using video collaboration, or outfitting a room for device management and automation, we are committed to helping you. **Visit pro.sony/Alliances.** 



# Options & accessories



#### **BRAVIA Meeting (WQ-BM1)**

BRAVIA Meeting enables centralized management of displays and interactive meetings via a network. The optional software, BRAVIA Meeting, enables remote monitoring of multiple displays, power control, and configuration changes. In addition, displaying PC screen shots wirelessly and annotation which enhances in-meeting collaboration.



#### Simple Media Player 2 (WQF-USMP2)/Free of charge

Simple Media Player 2 is an easy-to-use standalone signage player application, allowing you to display video, photos and HTML5 content directly from a connected USB flash memory. It's quick and intuitive to set up screens, edit and preview playlists and schedules using the BRAVIA display's remote controller.

# For full features visit pro.sony/BRAVIA

© 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.