



Tripp Lite
 1111 West 35th Street
 Chicago, IL 60609 USA
 Telephone: +(773) 869 1234
 E-mail: saleshelp@tripplite.com

Model #: B132-100-1

VGA over Cat5 Receiver



Highlights

- Supports a maximum resolution of 1920 x 1440 (60Hz)
- Works with a B132-002-1 or B132-004-1 local unit to extend a 1024 x 768 (60Hz) video signal up to 1,000 ft. when using 24Awg, Solid Wire Cat5e/6 cable
- For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite P524-01K
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Tripp Lite's B132-100-1 works with a B132-002-1 or B132-004-1 local unit to extend a 1024 x 768 (60Hz) video signal up to 1,000 ft. from the source when using 24Awg, Solid Wire Cat5e/6 cable. For optimal video image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite P524-01K. A maximum resolution of 1920 x 1440 (60Hz) is supported. Features built-in Equalization and Gain controls to adjust the video image. Includes mounting hardware that allows unit to be wallmounted, rackmounted or pole mounted. Ideal for digital signage situations, such as retail, schools, churches, etc. 1 year limited warranty.

Package Includes



- Extender remote (Receiver) unit
- Mini-Screwdriver for EQ/Gain adjustment
- Mounting Hardware
- External Power Supply (Input: 100-240V, 50/60Hz, 0.5A Output: 5V, 2A)
- Owner's Manual

Features

- Supports a maximum resolution of 1920 x 1440 (60Hz)
- Works with a B132-002-1 or B132-004-1 local unit to extend a 1024 x 768 (60Hz) video signal up to 1,000 ft. when using 24Awg, Solid Wire Cat5e/6 cable
- For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite P524-01K
- Features built-in Equalization and Gain controls to adjust the video image
- Includes mounting hardware that allows unit to be wallmounted, rackmounted or pole mounted
- Ideal for digital signage situations, such as retail, schools, churches, etc..
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases
- 1 year limited warranty.

Specifications

PHYSICAL	
Shipping weight (lbs)	1
Unit Dimensions (HWD/in)	1 x 2.5 x 3.6
Unit weight (lbs)	0.45

Color	Black
CONNECTIONS	
Connector A	 HD15 (FEMALE)
Connector B	 RJ45 (FEMALE)
WARRANTY	
Product Warranty Period (U.S., Canada & Puerto Rico)	1-year limited warranty

Related Items

Required Products

Product Type	Related Model	Description	Qty.
Extenders/Signal Boosters	B132-002-1	VGA over Cat5 Extender 2-Port Transmitter	-
Extenders/Signal Boosters	B132-004-1	VGA over Cat5 Extender 4-Port Transmitter	-

Recommended Products

Product Type	Related Model	Description	Qty.
Network Cables	N202-050-BL	50-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	-
Network Cables	N202-075-BL	75-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	-
Network Cables	N202-100-BL	100-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	-
Network Cables	N202-150-BL	150-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	-
Network Cables	N202-200-BL	200-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	-
Network Cables	N022-01K-GY	1000-ft. Cat5e 350MHz Bulk Solid-core PVC Cable - Gray	-
Network Cables	N222-01K-GY	1000-ft. Cat6 Gigabit Bulk Solid PVC Cable - Gray	-
Network Cables	P524-01K	1000-ft. Zero-Skew UTP Bulk Patch Cable for RGB Video	-
Video Cables & Adapters	P502-006	6-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	-
Video Cables & Adapters	P502-010	10-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	-
Video Cables & Adapters	P502-015	15-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	-

Optional Products

Product Type	Related Model	Description	Qty.
Extenders/Signal Boosters	B132-100-WP-1	VGA over Cat5 Receiver - RJ45-type Wallplate	-
Extenders/Signal Boosters	B130-101	VGA over Cat5 Extender Kit (Transmitter + Receiver)	-
Extenders/Signal Boosters	B130-101-WP-1	VGA over Cat5 (RJ45 Type) Extender Wallplate Kit (Transmitter + Receiver)	-

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4877.

Copyright © 2011 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.