



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: PS2408

### Tripp Lite Power Strip - Multiple outlets wherever you need them

#### Highlights

- 8 outlets
- Convenient and safe covered, on/off switch
- 15-amp circuit breaker
- 15 ft. cord
- 24" length



#### Description

Tripp Lite's PS2408 power strip offers 15 amp, 120v multi-outlet AC power distribution in a convenient 24 inch mountable housing. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 8 NEMA 5-15R output receptacles with 2.48 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT/OUTPUT: Input: NEMA 5-15P/Output: 8 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 24 in. corded, mountable power strip

#### Applications

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

#### Package Includes

- PS2408
- Mounting hardware
- Instruction manual

#### Features

- Sturdy all-metal 24 inch corded strip format with 2.48 inch center-to-center outlet spacing
- Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 8 NEMA 5-15R output receptacles
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility
- Lifetime warranty

#### Specifications

|  |   |
|--|---|
| <b>SYSTEM OVERVIEW</b>                               |   |
| Voltage compatibility                                | 120VAC  |
| <b>OUTPUT</b>  |   |
| Frequency compatibility                              | 50 / 60 Hz  |
| Output watts   | 1800  |
| Output volt amp capacity (amps)                      | 15A   |
| Outlet quantity / type                               | 8 Nema 5-15R  |
| Outlet spacing                                       | 2.48 in.  |
| <b>INPUT</b>   |   |
| Recommended Electrical Service                       | 15A 120V  |
| Input connection type                                | Nema 5-15P  |
| Input plug features                                  | Black   |
| Input cord length (ft.)                              | 15  |
| Input cord length (m)                                | 4.572   |
| Input cord gauge, type                               | 14/3 SJT  |
| <b>LEDS ALARMS &amp; SWITCHES</b>                    |   |
| Switches   | Lighted 2 position switch controls power to all outlets   |
| Locking switch cover                                 | Transparent on/off switch cover prevents accidental turn-off  |
| <b>PHYSICAL</b>                                      |   |
| Unit Dimensions (HWD/in)                             | 24 x 1.5 x 1.5  |
| Unit Dimensions (HWD/cm)                             | 61 x 3.8 x 3.8  |
| Unit weight (lbs)                                    | 3.2   |
| Unit weight (kg)                                     | 1.4528  |
| Material of construction                             | Aluminum  |
| Mounting accessories included                        | Includes mounting clips   |
| Receptacle Color                                     | Black   |
| AC line cord color                                   | Black   |
| Form factors supported                               | Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications |
| <b>CERTIFICATIONS</b>                                |   |
| UL1363 (Power Tap)                                   | UL1363  |
| cUL / CSA (Canada)                                   | cUL   |
| <b>WARRANTY</b>                                      |   |
| Product Warranty Period (U.S., Canada & Puerto Rico) | Lifetime  |

---

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=192](http://www.tripplite.com/en/products/model.cfm?txtModelID=192).

---

© 2010 Tripp Lite. All Rights Reserved.