

VX2467U - 24" 1080P IPS MONITOR WITH 65W USB C AND HDMI


Key Features

- 24 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 75Hz refresh rate
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized view settings offers "Game," "Movie," "Web," "Text," and "Mono" presets
- The VX2476-SMHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs
- This monitor is not VESA compatible




Test Specifications


Screen Size: 24



24
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product Description

The ViewSonic® VX2467U is a 24" Full HD monitor that combines style with optimal versatility and functionality perfect for home use. Whether for streaming, editing, or gaming these sleek and slim displays are engineered with the everyday user in mind. With a 3-sided frameless design this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. USB 3.2 Type-C connectivity delivers 65W charging power, video, and audio over a single cable, while HDMI and VGA inputs keep you connected to your favorite devices.

Specifications

UPC	766907020236
Screen Size	24
Viewable Area (in.)	23.6
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	75Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
USB Type C	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	12W
Eco Mode (optimized)	13W
Consumption (typical)	16W
Consumption (max)	22W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	VGA, HDMI 1.4, USC Type C: 24 ~ 86 KHz
Frequency Vertical	VGA, HDMI 1.4, USC Type C: 48 ~ 75 Hz
Tilt (Forward/Back)	5° / 20°
Net (lbs)	7.2
Net Without Stand (lbs)	5.9
Gross (lbs)	10.2
Net (kg)	3.3
Net Without Stand (kg)	2.7
Gross (kg)	4.8
Packaging (in.)	23.7 x 16.1 x 4.7
Physical (in.)	21.0 x 16.0 x 8.0
Physical Without Stand (in.)	21.0 x 12.6 x 2.0
Packaging (mm)	602.0 x 408.0 x 120.0
Physical (mm)	540.0 x 414.1 x 209.0
Physical Without Stand (mm)	540.0 x 323.0 x 34.1
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, NOM, Mexico Energy
Package Contents	VX2467U Display, Power Adapter, HDMI Cable, USB Type C cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907020236	



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com