


Key Features

- Ultra HD Resolution
- POWERFUL EMBEDDED SOC PLATFORM
- EMBEDDED LAN AND USB WIRELESS CONNECTIVITY
- VIEWBOARD ® CAST CONTENT SHARING SOFTWARE
- Remote Content Sharing from Anywhere



Product Description

The ViewSonic® CDE5512 is a 55" 4K Ultra HD large format wireless presentation display. With features including a razor-sharp resolution of 3840 x 2160, 290-nit high brightness, 178-degree ultra-wide viewing angles, 2 x 10W speakers, and wireless screen sharing, the CDE5512 transforms meeting rooms into a dynamic communications hub. The built-in ViewBoard® Cast screen sharing software* (along with the optional ViewSonic vCastSender app), and myViewBoard Display software, enables both on-site and online users to participate in conferences and simultaneously share content. Equipped with a 1.5GHz Quad-core embedded SoC processor, 2GB RAM, and 16GB of internal memory, the CDE5512 can play multimedia from internal storage or a USB flash drive 16 hours a day, seven days a week. And with remote configuration and content management system support, the ViewSonic® CDE5512 is also suitable for a wide array of diverse signage applications.



1. USB 2.0 (x2)
2. USB Type-C
3. HDMI 2.0 In (x2)
4. AC In
5. Audio RCA L/R
6. RS232 In
7. SPDIF Out
8. Ethernet Lan (RJ45)
9. Audio 3.5mm Out

55"DISPLAY

3840 x 2160RESOLUTION

290 cd/m2BRIGHTNESS
16/7

ContactSales

- call: 888.881.8781
- email: salesinfo@viewsonic.com
- visit: viewsonic.com

- Audio:

Internal Speakers:	10W (x2)
--------------------	----------

- Power:

Voltage:	100-240 VAC +/- 10% Wide Range, 50-60Hz +/-3 Hz
----------	--

Consumption (max):	115W
--------------------	------

Consumption (typical):	100W
------------------------	------

Stand-by:	<0.5W
-----------	-------

- Controls:

On Screen Display:	Picture, Screen, Audio, Time, Advanced Options, About
--------------------	--

- Operating Conditions:

Temperature:	32-104° F (0 - 40° C)
--------------	-----------------------

Humidity (non-condensing):	20-80%
----------------------------	--------

- **Embedded Player:**

Operating System:	Android 9.0
CPU:	Quad-core, 1.5GHz, MT9632/ARM Cortex-A53
GPU:	Dual Core, G52MP2
Memory:	2GB DDR4
Storage:	16GB (eMMC)
Media Player Type:	Yes

- **Display:**

Static Contrast Ratio:	1,200:1
Viewing Angles:	178° horizontal, 178° vertical
Resolution:	3840 x 2160
Colors:	1.07B
Viewable Area (in.):	54.6
Dynamic Contrast Ratio:	5,000:1
Backlight Life (Hours):	30,000
Response Time (Typical GTG):	8ms
Light Source:	DLED
Brightness:	290 cd/m2
Panel Surface:	Hard Coat - Anti-Glare, 2% Haze, 3H with anti-glare treatment
Aspect Ratio:	16:9
Display Size (in.):	55
Operation Rating:	16/7

- **Weight (metric):**

Gross (kg):	18.40
Net (kg):	12.90

- **Weight (imperial):**

Net (lbs):	28.44
Gross (lbs):	40.57

- **Connector:**

RCA Audio In(1), SPDIF Audio Out(1), USB 2.0(1), USB Type C(1), RS232 In(1), HDMI 2.0 In(2), VGA(1), Wi-Fi/Bluetooth Slot(1), Ethernet LAN (RJ45)(1), 3.5mm Audio Out(1)

- Dimensions (metric) (WxHxD):

Packaging (mm):	1328 x 786 x 180
Physical (mm):	1243.7 x 722.3 x 79.8

- Dimensions (imperial) (WxHxD):

Packaging (in.):	52.28 x 30.94 x 7.09
Physical (in.):	48.96 x 28.44 x 3.14

- Mount:

VESA Compatible:	200 x 200 mm
------------------	--------------

- General:

Regulations: cULus, FCC, Energy Star, RoHS

PACKAGE CONTENTS: CDE5512, Remote control with batteries, Quick Start Guide, Power cable, HDMI Cable, Wall Mount Screws and RS232 cable

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

Warranty: Three-year limited warranty on parts, labor and backlight

UPC: 766907017649

- Accessories:

NMP309-W, NMP589-W, NMP620-P10, NMP660, NMP760, VB-STND-001, VB-STND-005, VB-WIFI-001, VBS100-A, WMK-013, WMK-050