



## VG2452 - 24" 1080P IPS ERGONOMIC MONITOR | 65W USB-C

### Key Features

---

- Single-cable USB-C connectivity delivers video, audio, data and 65W charging
- Integrated USB hub with x2 USB-C ports (15W) and x2 USB-A ports
- Greater comfort and faster setup with an ergonomic design and quick deploy stand
- Plug in your favorite devices with HDMI and DisplayPort inputs
- 100% recyclable, FSC-certified eco-friendly packaging
- Pair with a ViewSonic VG58 monitor to build the ultimate workstation



24  
**DISPLAY**



IPS  
**PANEL**



1920x1080  
**RESOLUTION**



### Product Description

---

Upgrade your setup with the ViewSonic® 24" VG2452, a powerful workspace solution that helps enhance productivity, reduce clutter, and maximize comfort. With USB-C connectivity, users can streamline their workspace and eliminate cable clutter while enjoying 65W of charging, data, audio, video, and power over a single cable. An HDMI port, DisplayPort, and an integrated USB hub (x2 USB-C, x2 USB-A) make it easy to connect all your favorite devices, peripherals and other accessories. Built for all-day comfort, this monitor features a fully ergonomic stand with height, pivot, swivel, and tilt adjustments, ensuring an optimized viewing experience tailored to your needs. Enjoy smoother visuals with a 100Hz refresh rate, while a blue light filter and flicker-free technology help reduce eye strain. Sustainability meets innovation with a sleek, laser-textured design crafted from eco-friendly materials. The VG2452 comes in FSC-certified, 100% recyclable packaging, that helps reduce waste and eliminates the need for single-use materials.

# Specifications

	More Information
UPC	766907031751
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	350 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	100Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
USB Type A	2
USB Type C	1 (Upstream; DP Alt mode; 65W); 2 (Downstream; 15W)
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	107
Eco Mode (optimized)	104
Consumption (typical)	110
Consumption (max)	180
Voltage	100-240 VAC
Stand-by	0.5
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1

<b>Physical Controls</b>	Joystick key: Up, Right, Down, Left, Center; Power
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104º F (0 - 40º C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Height Adjust</b>	150 mm / 5.9 in
<b>Swivel</b>	90º
<b>Pivot (Right/Left)</b>	90º / 90º
<b>Tilt (Forward/Back)</b>	5º / 30º
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC
<b>Net (lbs)</b>	13.6
<b>Net Without Stand (lbs)</b>	8.6
<b>Gross (lbs)</b>	18
<b>Net (kg)</b>	6.2
<b>Net Without Stand (kg)</b>	3.9
<b>Gross (kg)</b>	8.2
<b>Packaging (in.)</b>	23.6 x 16.1 x 5.6
<b>Physical (in.)</b>	21.21 x15.84~19.89 x 8.08
<b>Physical Without Stand (in.)</b>	21.21 x12.5 x 1.76
<b>Packaging (mm)</b>	600.0 x 410.0 x 143.0
<b>Physical (mm)</b>	538.8 x 402.32~505.22 x 205.27
<b>Physical Without Stand (mm)</b>	538.8 x 317.51 x 44.75
<b>Package Contents</b>	VG2452 x1, 3-pin Plug (IEC C13 / CEE22) x1, DisplayPort Cable (v1.2; Male-Male) x1, USB Type-C Gen2 Cable (Male-Male; with Type-A adapter) x1, Quick Start Guide x1,
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907031751



### Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)