

## Wiremold ALUMINUM 2IN TO 1-1/4IN SCREW PLUG KIT

Part No. 825CKTCAL



OmniBox<sup>TM</sup> Series Floor Boxes provides an excellent activation solution when multiple services are required in open space areas. OmniBox<sup>TM</sup> Series Floor Boxes offer one-, two-, and three-gang multi-service boxes that are fully adjustable before and after the concrete pour. Available in both stamped steel and cast iron fabrications, they meet a wide range of workstation requirements for today's and tomorrow's service needs. These floor boxes have many applications, some of which include schools, financial institutions, and commercial office buildings.

## Features & Benefits

Reduces screw plug from 2 inches to 1-1/4 inches

## Specifications

| General Info                          |  |                    |              |  |  |  |
|---------------------------------------|--|--------------------|--------------|--|--|--|
| Product Line                          | Wiremold   | UPC Number         | 786564017820 |  |  |  |
| Country Of Origin                     | United States  | Construction       | Unassembled  |  |  |  |
| Number of Knockouts                   | 1  | Application Sector | Commercial   |  |  |  |
| Standard                              | cULus Listed Metallic Outlet Boxes: File<br>E2961 Guide QCIT, Meets Article 314.27(C) of<br>NEC. | Туре               | Floor Box    |  |  |  |
| Listing Agencies / 3rd Party Agencies |  |                    |              |  |  |  |
| cULus ListingNumber                   | E2961  | cULus Listed       | Yes          |  |  |  |
| Buy American Act Compliance           |  |                    |              |  |  |  |
| NAFTA                                 | Yes  |                    |              |  |  |  |
| Additional Information                |  |                    |              |  |  |  |
| RoHS Conformant                       | Yes  |                    |              |  |  |  |

| Technical Information |                  |  |  |  |  |
|-----------------------|------------------|--|--|--|--|
| Cable Entry           | threaded plug in |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |
|                       |                  |  |  |  |  |